

STOCK TO BARREL

Photo should depict firearm from the end of the barrel to the end of the stock (if it is a long gun) or the point furthest from the end of the barrel (if it is a pistol). This should be a clear, top-view photo of the firearm lying horizontally on a flat surface.



BULLET BUTTON

Photo should depict the bullet button style magazine release installed on the firearm.



SAMPLE IMAGE 1 — BULLET BUTTON
Image is provided for sample purposes only

LEFT SIDE OF THE RECEIVER/FRAME

Photo should depict the left side of the receiver/frame where the manufacturer's and/or owner's markings on the firearm are easy to read. Markings include: make, model, caliber, serial number, and the manufacturer's name, city and state.



SAMPLE IMAGE 3 — LEFT SIDE OF THE RECEIVER/FRAME
Image is provided for sample purposes only

RIGHT SIDE OF THE RECEIVER/FRAME

Photo should depict the right side of the receiver/frame where the manufacturer's and/or owner's markings on the firearm are easy to read. Markings include: make, model, caliber, serial number, and the manufacturer's name, city and state.



OPTIONAL IMAGE: BARREL STAMP

Photo should depict additional identification markings on the firearm (if applicable). The sample image depicts the barrel stamp on an AR Rifle.



SAMPLE IMAGE 5 — OPTIONAL IMAGE: BARREL STAMP
Image is provided for sample purposes only