



A NON-PROFIT CORPORATION  
311 California Street, Suite 510  
San Francisco, California 94104  
www.asyousow.org

June 10, 2004

## **NOTICE OF DISCHARGE VIOLATIONS OF CALIFORNIA HEALTH & SAFETY CODE §25249.5**

By Certified Mail, Return Receipt Requested to Violators and the California Department of Justice  
By First Class U.S. Mail to Public Enforcement Agencies

Dear Public Enforcement Agencies / Violators:

This letter provides As You Sow's notification of violations of California's Safe Drinking Water & Toxic Enforcement Act of 1986 ("Proposition 65" or "the Act"), Health & Safety Code § 25249.5 *et seq.*, to the public enforcement agencies and to the violator. Pursuant to §25249.7(d) of the Act, As You Sow intends to bring an enforcement action sixty (60) days after effective service of this notice unless the public enforcement agencies have commenced and are diligently prosecuting an action to rectify these violations.

The noticing party is As You Sow. As You Sow is a non-profit foundation organized under California's Non-Profit Public Benefit Corporation Law. As You Sow is dedicated to, among other causes, the protection of the environment, the promotion of human health, the improvement of worker and consumer safety, and environmental education.

The names of the violators covered by this notice are listed in Attachment A hereto. As You Sow hereby provides you notice that, since at least March 26, 2004, the Violators have been, and continue to be in violation of California Health & Safety Code §25249.5. These violations involve discharges and/or releases of lead and lead compounds into water from a variety of products manufactured, distributed and/or sold by the violators as described more fully below.

The products causing these violations are copper alloy (both bronze and brass) backflow preventers, pressure regulators, pressure reducing valves, ball valves, gate valves, check valves, stop valves, plumbing valves, and strainers that discharge and/or release lead and lead compounds to water (the "Products"), as more specifically described in Attachment B hereto. The copper alloys used in these products contain significant levels of lead and lead compounds that are discharged and/or released to water.

On February 27, 1987, the State of California officially listed lead as a chemical known to cause reproductive toxicity (Title 22 California Code of Regulations §12000, *et seq.*). On October 1, 1992, the State of California officially listed lead and lead compounds as chemicals known to cause cancer (Title 22 California Code of Regulations §12000, *et seq.*).

June 10, 2004

Page 2

Backflow preventers are utilized to prevent the flow of used or non-potable water into potable water. Pressure regulators and pressure reducing valves are utilized to reduce a high inlet pressure to a lower pressure. Ball valves, gate valves, check valves, stop valves, and plumbing valves are utilized to control or shut off the flow of potable water. Strainers are utilized to remove sediment and other particles from water.

**Discharges and/or releases into water.** The violators listed on attachment A hereto are knowingly discharging and/or releasing lead and lead compounds, chemicals known to the State of California to cause cancer and reproductive toxicity, from the Products into water, in violation of Health & Safety Code §25249.5.

**Duration of violations.** These ongoing violations and threatened violations of the Act are occurring, have occurred every day since at least March 26, 2004, and will continue everyday until the violations are terminated.

Under Proposition 65, each discharge and/or release is strictly prohibited unless it falls within an exception to the law. Health & Safety Code §25249.7(b). Civil penalties for each violation are \$2,500. These same violations also constitute violations of Business and Professions Code §17200 *et seq.* The remedies for violations of Business and Professions Code §17200 *et seq.* may include injunctions against illegal activity, product recall, and restitution of profits to a certified class.

In keeping with its public interest mission and to expeditiously rectify these ongoing violations of California law, As You Sow is interested in seeking a constructive resolution of this matter. Please direct all communications regarding this notice to As You Sow's counsel in this matter:

**Andrew L. Packard, Esq.**  
**Law Offices of Andrew L. Packard**  
**294 Page Street**  
**San Francisco, CA 94102**  
**Telephone: (415) 431-2970**  
**Fax: (415) 431-0410**

**Attachment A**

CASH ACME (A Division of Reliance Worldwide Corporation)  
CONBRACO INDUSTRIES, INC.  
CMB INDUSTRIES, INC.  
CRANE CO.  
KITZ CORPORATION OF AMERICA  
LDR INDUSTRIES, INC.  
LEGEND VALVE & FITTING, INC.  
MILWAUKEE VALVE COMPANY, INC.  
MUELLER INDUSTRIES, INC.  
NIBCO, INC.  
SMITH COOPER INTERNATIONAL, INC.  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.  
ZURN INDUSTRIES, INC.

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
CASH ACME**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Fig. No.</b>
PRV-E Domestic Pressure Regulators	1/4" - 2"	unknown
BFP Backflow Prevention Devices	1/2" - 1"	unknown

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
CMB INDUSTRIES, INC.**

<b>Type of Valve</b>	<b>Size Range</b>	<b>Model No.</b>
Double Check Assembly	1/2" - 2"	<b>850 MasterSeries</b>
Double Check Assembly	1/2" - 2"	<b>850U MasterSeries</b>
Reduced Pressure Assembly	3/4" - 2"	<b>825Y</b>
Reduced Pressure Assembly	3/4" - 2"	<b>825YA</b>
Wye Strainer	1/2" - 2"	<b>650A</b>
Bronze, Full Port Ball Valve	1/2" - 2"	<b>622F</b>
Bronze, Full Port Ball Valve	1/2" - 2"	<b>622FT</b>
Bronze, Full Port Ball Valve	1/2" - 2"	<b>622UF</b>
Bronze, Full Port Ball Valve	1/2" - 2"	<b>622UFT</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
CONBRACO INDUSTRIES, INC.**

<b>Type of Valve</b>	<b>Features</b>	<b>Size Range</b>	<b>No.</b>	<b>Catalog</b>
<b><i>Backflow Preventers</i></b>				
40-100 Series	double check valve assemblies	1/2" - 2"	40-10X	1
40-200 Series	reduced pressure principle valves	1/4" - 1-1/2"	40-20X	1,3
40-300 Series	dual check valve	1/2", 3/4", 1"	40-3XX-XXX	1,3
40-400 Series	continuous pressure backflow preventer	1/2", 3/4"	40-4XX-XXX	1
4J-400 Series	continuous pressure backflow preventer-compact	1/2", 3/4"	4J-4XX-XXX	1
Model DC	less ball valves, with ball valves, or with union end ball valves	1/2"	4S-103-AX	2
<b><i>In-Line Check Valves</i></b>				
61-100 Series	ball-cone check valves (female x female threaded)	1/4" - 3"	61-10X	1,4
61-200 Series	ball-cone check valves (male x male threaded)	1/4" - 2"	61-20X	1
62-100 Series	SS ball cone check valves (female x female threaded)	1/4", 3/8"	62-10X	1
61-500 Series	female x female threaded	1/4" - 2"	61-50X	1,5
61-600 Series	female x female sweat end	1/2" - 2"	61-60X	1,5
61-700 Series	female x female threaded (as described in catalog (1))	1/4" - 1"	61-70X	1,4
70-100-BC (Unidirectional Ball Valves)	female x female threaded	1/2" - 2"	70-10X-BC	1,4
<b><i>36 Series Valves</i></b>				
36-100 Series	pipe thread union x female NPT	1/2" - 2"	36-100-0X	1,6
36-200 Series	female NPT x female NPT	1/2" - 2"	36-20X	1,6
36-300 Series	solder joint union x female NPT	1/2" - 2"	36-300-0X	1,6
36-400 Series	pipe thread union x union	1/2" - 2"	36-400-0X	1,6
36-500 Series	solder joint union x union	1/2" - 2"	36-500-0X	1,6
36-800 Series	series less unions	1-1/4"	36-806	1,6
36-900 Series	series double union pex x pex	3/4"	36-904	1,6
36-9C4	series double union NPT x pex	3/4"	36-9C4	1,6
36C-20X	npt threaded inlet x outlet	1/2", 3/4", 1"	36C-20X	1
36C	non-union, inlet union or double union	1/2" & 3/4" x 1"	36C	6
36C-U	npt threaded nion inlet x npt outlet	1/2", 3/4", 1"	36C-10X	1
36C-US	sweat union inlet x npt outlet	1/2", 3/4", 1"	36C-30X	1
36C-U2T	double union/threaded inlet x threaded inlet	1/2", 3/4", 1"	36C-40X	1
36C-U2S	double union/sweat inlet x sweat outlet	1/2", 3/4", 1"	36C-50X	1
36C-UM	meter thread union inlet x npt outlet	1/2", 3/4", 1"	36C-60X	1
36C-EMT	90 degree meter thread union inlet x npt outlet	1/2", 3/4"	36C-70X	1
36C-LU	less unions	3/4", 1"	36C-80X	1
36C-U2P	double union/pex inlet x pex outlet	1/2", 3/4"	36C-90X	1

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
CONBRACO INDUSTRIES, INC.**

<b>Type of Valve</b>	<b>Features</b>	<b>Size Range</b>	<b>No.</b>	<b>Catalog</b>
36A Series	pressure reducing; non-union, inlet union or double union	1/2", 3/4", 1", or 1/2 & 3/4" x 1"	36A-XXX	1,6
36H Series	super capacity all bronze pressure reducing valves; FNPT, NPT or flanged connection; standard or w/ Y-strainer; standard, low or high pressure range	1/2" - 3"	36H-XXX-XXX	1,6
<b>Ball Valves</b>				
32-100-01 Bronze Ball Valves	bronze ball valves; reduced port threaded end	1/4" - 2"	32-10X-01	7
32-200-01 Bronze Ball Valves	reduced port solder end	1/2" - 2"	32-20X-01	7
70-100 Bronze Ball Valves	general purpose standard port	1/4" - 4"	70-10X	7
9A-100-01 Gen. Purpose Uni-Body Valves	heavy pattern uni-body threaded ball valve	1/4" - 2"	9A-10X-01	7
91-100-01 Gen. Purpose Uni-Body Valves	threaded uni-body ball valve	1/4" - 2"	91-10X-01	7
64-100 Series	Apollo Int'l Full Port Brass Ball Valves	1/4" - 4" NPT	64-10X-01	1
64-200 Series	Apollo Int'l Full Port Brass Ball Valves	1/2" - 4"	64-20X-01	1
95A Series	Apollo Int'l Full Port Brass Ball Valve w/ Stop & Waste	1/2", 3/4", 1"	95A-30X-01	1
95-200 Full Port Stop & Drain Ball Valves	"ideal choice as a main water shutoff at the meter"	1/2", 3/4", 1"	95-20X-01	5
95A NPT Drainable Ball Valve	"for any plumbing"	1/2", 3/4", 1"	95A-30X-01	5
95A Sweat Drainable Ball Valve	"for any plumbing"	1/2"	95A-403-01	5
<b>Pipeline Strainers</b>				
59 Series	bronze NPT or sweat end "Y" strainers	1/8" - 4"	59-00X-XX	1,2
59-300 Series	bronze sweat end "Y" strainers	1/2" - 2"	59-30X-01	1
59V Series	\\\	1/8", 1/4"	59V-00X-01	1
<b>Other</b>				
Freeze Protection Valve	\\\	1/8" NPT plug or 1/8" male x 1/4" female test cock	40-000-FPV1 or -FPV2	8

Conbraco Catalog References:

- 1 = Plumbing & Heating Products (PHCA900000 LP25M)
- 2 - Backflow Preventers (BFCA9000 4/02)
- 3 = See Double (BFBRPVB 1/02)
- 4 = Apollo In-Line Check Valves (PHBRCHV 3/02)
- 5 = Hydronic Heating Control Products (PHBRHYD 3/02)
- 6 = Water Pressure Reducing Valves (SP7.5M 03/02)
- 7 = Apollo Bronze Ball Valves (PHCABBVL LP10M 11/01)
- 8 = Unknown Title (BFFLFPV 15M 3/01 KPG)

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
CRANE CO.**

<b>Type of Valves/Features</b>	<b>Size Range</b>	<b>Figure No.</b>
<b><i>Bronze Gate Valves</i></b>		
Class 125, rising stem, threaded ends	1/2" - 3"	428
Class 125, non-rising stem, threaded ends	1/2" - 3"	438
Class 125, inside screw, non-rising stem, threaded end	1/4" - 3"	B-103C
Class 125, inside screw, non-rising stem, solder end	3/8" - 3"	B-104C
<b><i>Forged Brass Ball Valves</i></b>		
reduced port, chrome-plated brass ball, threaded ends	1/4" - 4"	9102-B
reduced port, chrome-plated brass ball, solder ends	3/8" - 4"	9122-B
full port, chrome-plated brass ball, threaded ends	1/4" - 2"	9203-B
full port, chrome-plated brass ball, solder ends	3/8" - 2"	9223-B
<b><i>Bronze Ball Valves</i></b>		
full port, chrome-plated brass ball, threaded ends	1/4" - 3"	9303-B
full port, chrome-plated brass ball, solder ends	1/4" - 3"	9323-B
full port, stainless steel ball & stem, threaded ends	1/4" - 3"	9303-S
full port, stainless steel ball & stem, solder ends	1/4" - 3"	9323-S
<b><i>400 PSI 2-Piece Ball Valves</i></b>		
threaded ends	1/4" - 2"	S 214-FBR-T-T
solder ends	1/2" - 3"	S 214-FBR-T-S
<b><i>600 PSI 2-Piece Ball Valves</i></b>		
threaded ends	1/4" - 3/8", 2-1/2" - 4"	S 206-FBR-T-T
threaded ends	1/2" - 2"	S 206-UFBR-T-T
solder ends	1/2" - 3"	S 206-FBR-T-S
threaded ends	1/4" - 3"	S 206-BR-R-T
threaded ends	1/4" - 3"	S 206-BR1-R-T
solder ends	1/2" - 3"	S 206-BR-R-S
solder ends	1/2" - 3"	S 206-BR1-R-2
<b><i>Bronze Swing Check Valves</i></b>		
Class 125, solder end, brass/bronze disc	3/8" - 3"	B-309C
Class 125, solder end, PTFE disc	3/8" - 3"	B-310TC
Class 125, solder end, buna disc	3/8" - 3"	B-310BC
Class 125, threaded end, brass/bronze disc	1/4" - 3"	B-319C
Class 125, threaded end, buna disc	1/4" - 3"	B-320BC
Class 125, threaded end, PTFE disc	1/4" - 3"	B-320TC
Class 125, threaded end, Viton disc	1/4" - 3"	B-320VC

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
KITZ CORPORATION OF AMERICA**

Type of Valve/Features		Size Range	Code No.
<b><i>Brass/Bronze Gate Valves</i></b>			
Class 125 Bronze	threaded	1/4" - 3"	07 (AKFS)
Class 125 Bronze	solder	3/8" - 3"	08 (CFS)
Class 125 Bronze	threaded	3/8" - 4"	27 (AKH)
Class 125 Bronze	solder	3/8" - 4"	28 (CH)
Class 125 Bronze	threaded	1/2" - 3"	24 (AK125M)
Class 125 Bronze	solder	1/2" - 2"	44 (C125M)
Class 125 Bronze	threaded	3/8" - 2"	40 (AK125E)
Class 125 Bronze	solder	3/8" - 2"	41 (C125E)
<b><i>Brass/Bronze Globe Valves</i></b>			
Class 100 Bronze	threaded	1/4" - 4"	01 (AKA)
<b><i>Brass/Bronze Check Valves</i></b>			
Class 125 Bronze	threaded	3/8" - 4"	04 (AKR)
Class 125 Bronze	solder	3/8" - 3"	14 (CR)
Class 125 Bronze	threaded	1/2" - 3"	22 (AKYR)
Class 125 Bronze	solder	1/2" - 3"	23 (CYR)
250 WOG Bronze	threaded	1/2" - 2"	36 (AKAF)
250 WOG Bronze	solder	1/2" - 2"	26 (CAF)
<b><i>Brass/Bronze Ball Valves</i></b>			
Forged Brass	threaded	1/4" - 3"	54 (AKTN)
Forged Brass	solder	1-1/4" - 2"	55 (CTN)
Forged Brass	threaded	1/2" - 2"	54P (AKTNP)
Forged Brass	solder	1/2" - 1"	55P (CTNP)
Forged Brass/Cast Bronze	threaded	2-1/2" - 4"	56 (AKTH)
Forged Brass/Cast Bronze	solder	2-1/2", 3"	57 (CTH)
Forged Brass or Cast Bronze	threaded	1/4" - 4"	58 (AKSZA)
Forged Brass or Cast Bronze	solder	3/8" - 3"	59 (CSZA)
Forged Brass	threaded	3/8" - 1"	58N (AKSZAN)
Forged Brass	solder	3/8" - 3"	59N (CSZAN)
Forged Brass	threaded	1/4" - 2"	58W (AKSZAW)
Forged Brass	solder	1/4" - 2"	59W (CSZAW)
Forged Brass	threaded	1/4" - 2"	58NW (AKSZANW)
Forged Brass	solder	3/8" - 2"	59NW (CSZANW)
Forged Brass/Cast Bronze	threaded	1/4" - 3"	68 (AKTAF)
Forged Brass/Cast Bronze	solder	1/4" - 3"	69 (CTAF)
Forged Brass/Cast Bronze	threaded	1/4" - 4"	68P (AKTAFP)
Forged Brass/Caste Bronze?	solder	1/4" - 4"	69P
Forged Brass	threaded	1/2, 3/4, 1"	68AD (AKTFD)
Forged Brass	solder	1/2, 3/4, 1"	69AD (CTAFD)
Forged Brass	m x thr	1/4" - 4"	68O (AKTAFO)
Forged Brass	m x sold	3/8" - 3"	69O (CTAFO)
Forged Brass	threaded	1/4" - 2"	68U (AKTAFU)
Forged Brass	solder	1/4" - 2"	69U (CTAFU)

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
KITZ CORPORATION OF AMERICA**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Code No.</b>
<b><i>Bronze Strainers</i></b>		
Y-Pattern threaded	1/4" - 2"	<b>15 (AKYU)</b>
Y-Pattern solder	1/2" - 2"	<b>16 (CYU)</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
LDR INDUSTRIES, INC.**

<b>Type of Valve/Features</b>	<b>Item No.</b>	<b>Size Range</b>
<b><i>Ball Valves</i></b>		
Compression - Conventional Port	<b>020 200X</b>	1/2, 3/4, and 1" compression
IPS - Conventional Port	<b>020 220X</b>	1/4" - 2" IPS
IPS - Full Port	<b>020 223X</b>	3/8" - 2" IPS
Sweat - Conventional Port	<b>020 227X</b>	1/2, 3/4 and 1" sweat
<b><i>Gate Valves</i></b>		
Compression	<b>020 100X</b>	1/2" (5/8" O.D.), 3/4" (7/8" O.D.) Comp x Comp
Heavy Duty - IPS	<b>020 111X</b>	1/4" - 2" IPS
Heavy Duty - Sweat	<b>020 121X</b>	1/2" - 1-1/2" sweat
IPS	<b>202 110X</b>	1/4" - 2" IPS
Sweat	<b>020 120X</b>	1/2" - 2" sweat
<b><i>Stop &amp; Waste Valves</i></b>		
Compression	<b>020 550X</b>	1/2" (5/8" O.D.), 3/4" (7/8" O.D.) Comp x Comp
IPS	<b>020 530X</b>	1/2, 3/4" IPS
Sweat	<b>020 540X</b>	1/2, 3/4" sweat
<b><i>Stop Valves</i></b>		
Compression	<b>020 500X</b>	1/2" (5/8" O.D.), 3/4" (7/8" O.D.) Comp x Comp
IPS	<b>020 510X</b>	3/8, 1/2 and 3/4" IPS
Sweat	<b>020 520X</b>	1/2" sweat
<b><i>Swing Check Valves</i></b>		
\\	<b>020 124X</b>	1/2" - 2" IPS

June 10, 2004

Page 12

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
LEGEND VALVE & FITTING, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Legend No.</b>
<b><i>Gate Valves</i></b>		
bronze body, rising stem	1/4" - 3"	T-417 or S-417
bronze body, screw-over bonnet, non-rising stem	1/2" - 2"	T-414 or S-414
bronze body, screwed-in bonnet, non-rising stem	1/4" - 4"	T-415 or S-415
brass body, screwed-in bonnet, non-rising stem	1/2" - 4"	T-401 or S-401
brass body, screwed-in bonnet, non-rising stem	1/2" - 4"	T-408 or S-408
brass body, screwed-in bonnet, non-rising stem	1/2" - 4"	T-400 or S-400
brass body, screwed-in bonnet, non-rising stem	1/2" - 1"	T-402
brass body, screwed-in bonnet, non-rising stem	1/2" - 1"	T-403 or S-403
brass body, screwed-in bonnet, non-rising stem	1/2" - 3/4"	T-404
globe valve, rising stem, threaded bonnet	1/2" - 2"	T-421
<b><i>Check Valves</i></b>		
Y-pattern, bronze body, bronze disc	1/2" - 2"	T-453 or S-453
brass body, brass disc	1/4" - 4"	T-451 or S-451
bronze body, in-line check, spring loaded, 250 WOG	1/2" - 2"	T-455 or S-455
bronze body, in-line check, spring loaded, 200 WOG	1/2" - 2"	T-450
foot valve, bronze body, stainless steel screen, spring loaded, 200 WOG	3/4" - 2"	T-448
<b><i>Backflow Preventers</i></b>		
atmospheric vent, forged brass body	1/2" - 3/4"	T-459 or S-459
dual check, forged brass body	1/2" - 1"	T-457
<b><i>Low Pressure Stop or Stop &amp; Waste Valves</i></b>		
stop valve, brass body, stuffing box	1/2" - 3/4"	T-501 or S-501
stop valve, cross handle, brass body	1/2" - 3/4"	T-501X
stop valve, brass body	1/2" - 3/4"	T-502
stop & waste valve, brass body, stuffing box	1/2" - 3/4"	T-511 or S-511
stop & waste valve, brass body, stuffing box	1/2" - 3/4"	T-512
stop & waste valve, brass body	1/2" - 3/4"	T-513
angle stop, brass body, stuffing box	1/2" - 3/4"	T-503 or S-503
stop valve, long bonnet, brass body	1/2" - 3/4"	T-504 or S-504
angle stop, long bonnet, brass body	1/2"	T-505 or S-505
<b><i>Specialty Valves</i></b>		
ground key stop & drain, bronze body	1/2" - 1"	T-25
<b><i>Full Port Ball Valves</i></b>		
forged brass	1/8" - 4"	T-1001 or S-1001
forged brass, gland follower stem design	1/4" - 3"	T-1002 or S-1002
forged brass, heavy pattern	1/2" - 2"	T-1000
heavy duty bronze, gland follower stem design	1/4" - 3"	T-901 or S-901
<b><i>Conventional Port Ball Valves</i></b>		
forged brass	1/4" - 4"	T-800 or S-800

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
LEGEND VALVE & FITTING, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Legend No.</b>
<b><i>NSF Approved Ball Valves</i></b>		
forged brass	1/2" - 2"	T-2000 or S-2000
<b><i>Drainable Ball Valves</i></b>		
full port, forged brass	1/2, 3/4, and 1"	T-1100 or S-1100
full port, gland follower stem design, forged brass	1/2, 3/4, and 1"	S-1102
<b><i>Compression End Ball Valves</i></b>		
full port, forged brass	1/2, 3/4, and 1"	T-1009
conventional port w/ drain, forged brass	1/2, 3/4, and 1"	T-802
<b><i>Other Ball Valves</i></b>		
pex-end, full port, forged brass	1/2", 3/4"	T-806
male x female large port, forged brass	1/8" - 1"	T-900MxF
female x sweat, full port, forged brass	1/2, 3/4 and 1"	T-1007
forged brass, ball valve gauge cocks	1/8" - 1/2"	T-800T
forged brass, ball valve gauge cocks	1/8" - 3/4"	T-900MxF-T
<b><i>Other</i></b>		
bronze Y-strainer	1/4" - 3"	T-15 or S-15

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
MILWAUKEE VALVE COMPANY, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Code No.</b>
<b>Milwaukee: Commercial Ball Valves</b>		
bronze, 2-piece standard port, 600 WOG 150 WSP, threaded	1/4" - 3"	<b>BA-100</b>
bronze, 2-piece standard port, stainless ball & stem, threaded	1/4" - 3"	<b>BA-100S</b>
bronze, 2-piece standard port, 600 WOG 150 WSP, threaded w/ male threaded end	1/4" - 2"	<b>BA-100M</b>
bronze, 2-piece standard port, 600 WOG 150 WSP, solder	3/8" - 3"	<b>BA-150</b>
bronze, 2-piece standard port, 600 WOG 150 WSP, stainless ball & stem, solder	3/8" - 3"	<b>BA-150S</b>
bronze, 2-piece full port, 600 WOG 150 WSP, threaded	1/4" - 2"	<b>BA-400</b>
bronze, 2-piece full port, 600 WOG 150 WSP, threaded, stainless ball & stem	1/4" - 2"	<b>BA-400S</b>
bronze, 2-piece full port, 600 WOG 150 WSP, solder	1/4" - 2"	<b>BA-450</b>
bronze, 2-piece full port, 600 WOG 150 WSP, stainless ball & stem, solder	1/4" - 2"	<b>BA-450S</b>
brass, 2-piece standard port, 400 WOG 150 WSP, threaded	1/4" - 4"	<b>BA-200</b>
brass, 2-piece standard port, 600 WOG 150 WSP, solder	3/8" - 3"	<b>BA-250</b>
brass, 2-piece full port, 600 WOG 150 WSP, threaded	1/4" - 3"	<b>BA-425</b>
brass, 2-piece full port, 600 WOG 150 WSP, solder	1/2" - 2"	<b>BA-455</b>
brass, 2-piece full port, 600 WOG 150 WSP, threaded	1/4" - 2"	<b>BA-475B</b>
brass, 2-piece full port, 600 WOG 150 WSP, solder heavy pattern	1/2" - 2"	<b>BA-485B</b>
bronze, butterball butterfly, 175 PSI, threaded	1/4" - 2"	<b>BB2-100</b>
bronze, butterball butterfly, 175 PSI, solder	3/8" - 2"	<b>BB2-350</b>
bronze, butterball butterfly, 175 PSI, threaded, actuator mounting pads	1/4" - 2"	<b>BB1-10A0</b>
<b>Milwaukee: Gate Valves</b>		
bronze, non-rising stem, threaded end-threaded bonnet, 125 PSI WSP-200 PSI WOG	1/4" - 4"	<b>105</b>
bronze, non-rising stem, threaded end-threaded bonnet 150 PSI WSP-300 PSI WOG	1/4" - 4"	<b>1140</b>
bronze, non-rising stem, solder end-threaded bonnet, 125 PSI WSP-200 PSI WOG	3/8" - 4"	<b>115</b>
bronze, rising stem, threaded end-threaded bonnet 125 WSP-200 WOG	1/4" - 4"	<b>148</b>
bronze, rising stem, threaded end-threaded bonnet, 150 WSP-300 WOG	1/4" - 4"	<b>1150</b>
bronze, rising stem, solder end-threaded bonnet, 125 WSP-200 WOG	3/8" - 4"	<b>149</b>
<b>Milwaukee: Globe &amp; Angle Valves</b>		
bronze, globe threaded bonnet, threaded ends, 125 WSP-200 WOG, bronze disc	1/8" - 3"	<b>502</b>
bronze, globe threaded bonnet, solder ends, 125 WSP-200 WOG, bronze disc	3/8" - 2"	<b>1502</b>
<b>Milwaukee: Check &amp; Specialty Valves</b>		
bronze, horizontal swing check, threaded ends, 125 WSP-200 WOG, bronze disc	1/4" - 3"	<b>509</b>
bronze, horizontal swing check, threaded ends, 125 WSP-200 WOG, TFE disc	1/4" - 2"	<b>509T</b>
bronze, horizontal swing check, threaded ends, 150 WSP-300 WOG, TFE disc	1/4" - 2"	<b>510T</b>
bronze, horizontal swing check, threaded ends, 150 WSP-300 WOG, bronze disc	1/4" - 2"	<b>515</b>
bronze, horizontal swing check, solder ends, 125 WSP-200 WOG, bronze disc	3/8" - 3"	<b>1509</b>
bronze, horizontal swing check, solder ends, 125 WSP-200 WOG, TFE disc	3/8" - 2"	<b>1509T</b>
bronze, horizontal swing check, solder ends, 150 WSP-300 WOG, TFE disc	1/2" - 2"	<b>1510T</b>
bronze, spring-loaded lift check, threaded ends, 250 WOG, BUNA disc	3/8" - 2"	<b>548B</b>
bronze, spring-loaded lift check, threaded ends, 250 WOG, TFE disc	1/2" - 2"	<b>548T</b>
bronze, spring-loaded lift check, solder ends, 250 WOG, TFE disc	3/8" - 2"	<b>1548T</b>
bronze, horizontal swing check Y-pattern, threaded ends, 300 WSP-600 WOG, bronze disc	1/4" - 3"	<b>507</b>
bronze, horizontal swing check Y-pattern, threaded ends, 200 WSP-400 WOG, bronze disc	1/4" - 3"	<b>508</b>
bronze, quick-opening gate, threaded ends, 150 WSP-300 WOG, spring-loaded handle	1" - 3"	<b>900</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
MILWAUKEE VALVE COMPANY, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Code No.</b>
bronze, quick-opening gate, threaded ends, 150 WSP-300 WOG, quick-open lever handle	1/2" - 4"	<b>901</b>
bronze, quick-opening gate, threaded ends, 150 WOG o-ring stem seal, quick-open lever with springs	3/4" and 1-1/4"	<b>902</b>
<b>Hammond: Gate Valves</b>		
industrial bronze, non-rising stem, threaded ends & bonnet, 125 WSP-200 WOG	1/4" - 4"	<b>IB645</b>
industrial bronze, non-rising stem, solder ends, threaded bonnet, 125 WSP-200 WOG	3/8" - 4"	<b>IB647</b>
industrial bronze, rising stem, threaded ends, threaded bonnet 125 WSP-200 WOG	1/4" - 4"	<b>IB640</b>
industrial bronze, rising stem, solder ends, threaded bonnet, 125 WSP-200 WOG	3/8" - 4"	<b>IB635</b>
industrial bronze, non-rising stem, threaded ends, threaded bonnet 150 WSP-300 WOG	1/4" - 4"	<b>IB646</b>
industrial bronze, rising stem, threaded ends, threaded bonnet, 150 WSP-300 WOG	1/4" - 4"	<b>IB641</b>
industrial bronze, rising stem, threaded ends, union bonnet, 150 WSP-300 WOG	1/4" - 3"	<b>IB629</b>
industrial bronze, non-rising stem, threaded ends, union bonnet, 150 WSP-300 WOG	1/4" - 2"	<b>IB638</b>
industrial bronze, quick-opening, threaded ends, double wedge disc, malleable iron lever, 150 WSP-300WOG	1/2" - 4"	<b>IB610</b>
industrial bronze, globe bronze disc, threaded ends, threaded bonnet, malleable iron handwheel, 125WSP-200 WOG	1/8" - 3"	<b>IB440</b>
industrial bronze, globe bronze disc, solder ends, threaded bonnet, malleable iron handwheel, 125 WSP-200 WOG	3/8" - 2"	<b>IB418</b>
industrial bronze, globe bronze disc, threaded ends, union bonnet, malleable iron handwheel, 300 WSP-600 WOG	1/4" - 2"	<b>IB412</b>
<b>Hammond: Swing Check Valves</b>		
industrial bronze, T-pattern disc, threaded ends, 125 WSP-200 WOG	1/4" - 3"	<b>IB904</b>
industrial bronze, T-patter teflon disc, threaded ends, 125 WSP-200 WOG	1/4" - 2"	<b>IB940</b>
industrial bronze, T-pattern bronze disc, solder ends, 125 WSP-200 WOG	1/2" - 3"	<b>IB912</b>
industrial bronze, T-pattern teflon disc, threaded ends, 150 WSP-300 WOG	1/4" - 2"	<b>IB946</b>
industrial bronze, T-pattern teflon disc, solder ends, 150 WSP-300 WOG	1/2" - 2"	<b>IB945</b>
industrial bronze, Y-Pattern renewable bronze disc, threaded ends, 200 WSP-400 WOG	1/4" - 3"	<b>IB944</b>
industrial bronze, Y-pattern renewable bronze disc, threaded ends, 300 WSP-600 WOG	1/4" - 3"	<b>IB949</b>
<b>Hammond: Ball Valves</b>		
bronze, 2-piece full port, threaded ends, blow out proof stem, 150 WSP-600 WOG	1/4" - 2"	<b>8301</b>
brass, 2-piece full port, solder ends, blow out proof stem, 150 WSP-600 WOG	1/2" - 2"	<b>8311</b>
brass, 2-piece standard port, threaded ends, blow out proof stem, 150 WSP-400 WOG	1/4" - 4"	<b>8201</b>
brass, 2-piece standard port, solder ends, blow out proof stem, 150 WSP-400 WOG	3/8" - 3"	<b>8211</b>
brass, 2-piece standard port, compression ends or pex-x ends, blow out proof stem, 150-WSP-400 WOG	1/2" - 1"	<b>8271</b>
brass, 2-piece full port, threaded ends, blow out proof stem, 150 WSP-600 WOG	1/4" - 3"	<b>8901</b>
brass, 2-piece full port, solder ends, blow out proof stem, 150 WSP-600 WOG	1/2" - 3"	<b>8911</b>
brass, 2-piece drainable full port, threaded ends, blow out proof stem, 600 WOG	1/2" - 1"	<b>8701</b>
brass, 2-piece drainable full port, solder ends, blow out proof stem	1/2" - 1"	<b>8711</b>
bronze, 2-piece large port, threaded ends, blow out proof stem, 150 WSP-600 WOG	1/4" - 3"	<b>8501</b>
bronze, 2-piece large port, solder ends, blow out proof stem, 150 WSP-600 WOG	3/8" - 3"	<b>8511</b>
bronze 2-piece large port, threaded ends, blow out proof stem, 150 WSP-600 WOG	1/4" - 3"	<b>8503</b>
bronze, 2-piece large port, solder ends, blow out proof stem, 150 WSP-600 WOG	3/8" - 3"	<b>8513</b>

June 10, 2004

Page 16

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
MILWAUKEE VALVE COMPANY, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>Code No.</b>
<b><i>Hammond: Gate Plumbing &amp; Heating Valves</i></b>		
bronze, non rising stem, threaded ends, threaded bonnet, iron handwheel, 125 WSP-200 WOG	1/4" - 3"	<b>606</b>
bronze, non rising stem, solder ends, threaded ebonnet, iron handwheel, 125 WSP-200 WOG	3/8" - 3"	<b>607</b>
brass, non rising stem, threaded ends, threaded bonnet, iron handwheel, 200 WOG	1/4" - 4"	<b>667</b>
brass, non rising stem, solder ends, threaded bonnet, iron handwheel, 200 WOG	3/8" - 3"	<b>668</b>
brass, non rising stem, drainable, solder ends, threaded bonnet, iron handwheel, 200 WOG	1/2" - 1"	<b>668-20</b>
brass, non rising stem, threaded ends, threaded bonnet, iron handwheel, 150 WOG	1/4" - 4"	<b>567</b>
brass, non rising stem, solder ends, threaded bonnet, iron handwheel, 150 WOG	1/2" - 2"	<b>568</b>
<b><i>Hammond: Check Plumbing &amp; Heating Valves</i></b>		
brass, swing check, threaded ends, brass disc, 200 WOG	1/2" - 4"	<b>967</b>
brass, swing check, solder ends, brass disc, 200 WOG	1/2" - 2"	<b>968</b>
bronze, spring loaded lift check, threaded ends, buna disc, 250 WOG	3/8" - 2"	<b>943</b>
bronze, spring loaded lift check, solder ends, buna disc, 250 WOG	3/8" - 2"	<b>947</b>
brass, large water ways brass body, threaded ends, iron handwheel, 150 WWP	1/2" - 3/4"	<b>445</b>
brass, large water ways brass body, solder ends, iron handwheel, 150 WWP	1/2" - 3/4"	<b>446</b>
<b><i>Hammond: International Stop Plumbing &amp; Heating Valves</i></b>		
brass, large water ways drainable brass body, threaded ends, 150 WWP	1/2" - 3/4"	<b>545</b>
brass, large water ways drainable brass body, solder ends, 150 WWP	1/2" - 1"	<b>546</b>
brass, large water ways drainable brass body, compression ends, 150 WWP	1/2" - 3/4"	<b>549</b>
<b><i>Hammond: Heating Water Valves</i></b>		
brass, 15 WSP-60 PSI hot circulated water rating	1/2" - 1-1/2"	<b>100-25</b>
brass, gravity hot water rating	1/2" - 1-1/4"	<b>200</b>
<b><i>Hammond: "Y" Strainers</i></b>		
bronze, threaded ends, threaded bonnet, 150 WSP-250 WOG	1/4" - 3"	<b>3010</b>
solder ends, threaded bonnet, 250 WSP-400 WOG	1/2" - 2"	<b>3040</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
MUELLER INDUSTRIES, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
<b>Mueller Brand: Gate Valves</b>		
non rising stem, FPT or CxC connection	1/4" - 4"	<b>T100 or S100</b>
non rising stem, FPT or CxC connection	1/2" - 4"	<b>T100 or S100</b>
<b>Mueller Brand: Ball Valves</b>		
blow out proof stem, FPT or CxC connection	1/4" - 4"	<b>T200 or S200</b>
full port, blow out proof stem, FPT or CxC connection	1/4" - 3"	<b>T210 or S210</b>
full port w/drain, blow out proof stem, FPT or CxC connection	1/2" - 1"	<b>T211 or S211</b>
<b>Mueller Brand: Other Valves</b>		
Stop Valve, FPT or CxC connection	1/2, 3/4"	<b>T400 or S400</b>
Stop & Waste Valve, FPT, CxC or CompXComp connection	1/2, 3/4"	<b>T410, S410, C410</b>
Swing Check Valve, FPT or CxC connection	1/2" - 4"	<b>T300 or S300</b>
<b>Mueller B&amp;K Brand: Forged Brass Ball Valves</b>		
forged brass, super port, threaded	1/2" - 2"	<b>110-513 to 528</b>
forged brass, super port, threaded	1/4" - 4"	<b>107-701 to 711</b>
forged brass, super port, threaded	1/4" - 4"	<b>107-701HC to 708HC</b>
forged brass, super port, solder	1/2" - 3"	<b>107-503 to 510</b>
forged brass, chrome plated, full port, threaded	1/8" - 4"	<b>107-100 to 011</b>
forged brass, full port, threaded	1/2" - 4"	<b>107-403HC to 411HC</b>
forged brass, full port, solder	1/2" - 2"	<b>107-453HC to 458HC</b>
brass conventional port, threaded	1/2" - 2'	<b>107-901 to 908</b>
brass conventional port, threaded	1/2" - 2"	<b>107-903HC to 908HC</b>
brass, conventional port, solder	1/2" - 2"	<b>107-803 to 808</b>
brass, conventional port, solder	1/2, 3/4, 1"	<b>107-803HC to 805HC</b>
forged brass, stop & waste, full port, threaded	1/2, 3/4, 1"	<b>107-753 to 755</b>
forged brass, stop & waste, full port, threaded	1/2, 3/4, 1"	<b>107-753HC to 755HC</b>
forged brass, stop & waste, full port, solder	1/2, 3/4, 1"	<b>107-553 to 555</b>
forged brass, stop & waste, full port, solder	1/2, 3/4, 1"	<b>107-555HC to 555HC</b>
forged brass, MxF threaded	1/4" - 1"	<b>107-321 to 325</b>
forged brass, compression connection	1/2, 3/4, 1"	<b>107-023 to 025</b>
forged brass, compression connection	1/2, 3/4"	<b>107-023HC to 024HC</b>
brass, ball valve, 3 way, threaded	1/2, 3/4"	<b>107-773 to 774</b>
<b>Mueller B&amp;K Brand: Gate Valves</b>		
bronze, screw over bonnet, threaded	1/4" - 4"	<b>100-201 to 211</b>
bronze, screw over bonnet, solder	1/2" - 3"	<b>100-211 to 710</b>
brass, threaded	1/4" - 4"	<b>100-001 to 011</b>
brass, threaded	1/2" - 2"	<b>100-003HC to 008HC</b>
brass, solder	3/8" - 2"	<b>100-502 to 508</b>
brass, solder	1/2, 3/4, 1"	<b>100-503HC to 505HC</b>
brass, compact pattern, threaded	1/2" - 4"	<b>100-403 to 411</b>
brass, compact pattern, threaded	1/2" - 2"	<b>100-403HC to 408HC</b>
brass, compact pattern, solder	1/2" - 2"	<b>100-453 to 458</b>
brass, compact pattern, solder	1/2, 3/4, 1"	<b>100-453HC to 455HC</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
MUELLER INDUSTRIES, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
brass, drainable, threaded	1/2, 3/4, 1"	100-013 to 015
brass, drainable, solder	1/2, 3/4, 1"	100-513 to 515
bronze, compression connection	1/2, 3/4"	100-803 to 804
PreLine Series, brass, stop, threaded	1/2, 3/4"	100-083HC to 084HC
PreLine Series, brass, stop, solder	1/2, 3/4"	105-583HC to 584HC
PreLine Series, brass, stop & waste, threaded	1/2, 3/4"	105-183HC to 184HC
PreLine Series, brass, stop & waste, solder	1/2, 3/4"	105-683HC to 684HC
brass, stop, compression connection	1/2, 3/4"	105-513 to 514
brass, stop, compression connection	1/2, 3/4"	105-513HC to 514HC
brass, stop & waste, compression connect.	1/2, 3/4"	105-613 to 614
brass, stop & waste, compression connect.	1/2, 3/4"	105-613HC to 614HC
brass, stop, threaded	1/4" - 3/4"	105-001 to 004
brass, stop, threaded	3/8, 1/2, 3/4"	105-002HC to 004HC
brass, stop, solder	3/8, 1/2, 3/4"	105-502 to 504
brass, stop, solder	1/2, 3/4"	105-503HC to 504HC
brass, stop & waste, threaded	1/2, 3/4"	105-103 to 104
brass, stop & waste, threaded	1/2, 3/4"	105-103HC to 104HC
brass, stop & waste, solder	3/8, 1/2, 3/4"	105-602 to 604
brass, stop & waste, solder	1/2, 3/4"	105-603HC to 604HC
PreLine, bronze, swing check, Y pattern, threaded	3/8" - 2"	101-202 to 208
PreLine, bronze, swing check, Y pattern, solder	1/2" - 2"	101-703 to 708
brass, swing check, threaded	1/4" - 4"	101-001 to 011
brass, swing check, threaded	1/2" - 1-1/2"	101-003HC to 007HC
brass, swing check, solder	1/2" - 2"	101-503 to 508
brass, swing check, solder	1/2", 3/4"	101-503HC to 504HC
bronze, in-line check	1/2" - 2"	101-303 to 308
bronze, in-line check	1/2, 3/4"	101-303HC to 304HC
bronze, in-line check, threaded w/ 2 tapped holes	1", 1-1/4"	101-315 to 316
bronze, foot valve	3/4" - 2"	101-324 to 328
forged brass, dual check backflow preventer	3/4", 1"	101-404 to 405
forged brass, dual check backflow preventer	3/4", 1"	101-404HC to 405HC
forged brass, dual check backflow preventer w/ vent, threaded	1/2, 3/4"	101-413 to 414
forged brass, dual check backflow preventer w/ vent, solder	1/2"	101-423

June 10, 2004

Page 19

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
NIBCO INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
<b><i>Icemaker Valve</i></b>		
long shank; copper or male threads to compression; comes w/ adapter	1/2" x 1/4"	<b>4464-X</b>
Long shank; with adapter	1/2" x 1/4"	<b>4464-LA</b>
copper or male threads to compression	1/2" x 1/4"	<b>4464-S</b>
<b><i>Transition Valves</i></b>		
boiler drain, compression to hose	1/2"	<b>4476</b>
stop & waste, CPVC & CPVC	1/2", 3/4"	<b>4776</b>
<b><i>Stop or Stop &amp; Waste Valves</i></b>		
angle stop; water meter; copper to FSFS	3/4" x 1/2", 3/4", 1" x 3/4"	<b>577-17</b>
angle stop & waste; copper to FSFS	3/4" x 1/2", 3/4", 1" x 3/4"	<b>578-17</b>
angle stop, FSFS to FSFS	3/8", 1/2", 3/4"	<b>77</b>
angle stop, copper to copper	1/2", 3/4"	<b>777</b>
angle stop, copper to FSFS	3/4"	<b>777-17</b>
<b><i>U-Valves</i></b>		
buna-N plunger; copper to copper	1/8" - 2"	<b>S-22</b>
buna-N plunger; threaded	1/8" - 2"	<b>T-22</b>
<b><i>Gate Valves</i></b>		
"flat top", copper to copper	1/2" - 2"	<b>S-29</b>
"flat top", threaded	1/2" - 2"	<b>T-29</b>
Class 125 Bronze, screw in bonnet, rising stem, solid wedge, threaded ends	1/4" - 3"	<b>T-111</b>
Class 125 Bronze, screw in bonnet, rising stem, solid wedge, solder ends	1/4" - 3"	<b>S-111</b>
Class 125 Bronze, screw in bonnet, non-rising stem, solid wedge, threaded ends	1/4" - 3"	<b>T-113</b>
Class 125 Bronze, screw in bonnet, non rising stem, solid wedge, solder ends	1/4" - 3"	<b>S-113</b>
<b><i>Ball Valves</i></b>		
bronze, 2-piece, standard port, blowout proof stem, TFE seats, threaded	1/2" - 2"	<b>T-580</b>
bronze, 2-piece, standard port, blowout proof stem, TFE seats, solder	1/2" - 2"	<b>S-580</b>
bronze, 1-piece, reduced port, bronze trim, blowout proof stem, threaded ends	1/4" - 2"	<b>T-560-BR-20</b>
bronze, 1-piece, reduced port, stainless trim, vented ball, blowout proof stem, threaded ends	1/4" - 2"	<b>T-560-BR-66</b>
bronze, 2-piece, full or conventional port, bronze trim, blowout proof stem, threaded ends	1/4" - 3"	<b>T-580-70</b>
bronze, 2-piece, full or conventional port, bronze trim, blowout proof stem, solder ends	1/4" - 3"	<b>S-580-70</b>
bronze, 2-piece, full or conventional port, stainless trim, blowout proof stem, vented ball, threaded ends	1/4" - 3"	<b>T-580-70-66</b>
bronze, 2-piece, full or conventional port, stainless trim, blowout proof stem, vented ball, solder ends	1/4" - 3"	<b>S-580-70-66</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, threaded ends	1/4" - 2"	<b>T-585-70</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, solder ends	1/4" - 2"	<b>S-585-70</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
NIBCO INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
bronze, 2-piece, full port, stainless trim, blowout proof stem, vented ball threaded ends	1/4" - 2"	<b>T-585-70-66</b>
bronze, 2-piece, full port, stainless trim, blowout proof stem, vented ball solder ends	1/4" - 2"	<b>S-585-70-66</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, thread and solder ends	1/2" - 2"	<b>TS-585-70</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, solder and thread ends	1/2" - 2"	<b>ST-585-70</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, male x female threaded ends	1/4" - 2"	<b>MTT-585-70</b>
bronze, 2-piece, full port, bronze trim, body with chrome plating, blowout proof stem	1/4" - 2"	<b>T-585-70-CP</b>
bronze, 2-piece, full port, bronze trim, single union ends, blowout proof stem, NPT x NPT	1/2" - 2"	<b>T-585-70-SU</b>
bronze, 2-piece, full port, bronze trim, single union ends, blowout proof stem, C x C	1/2" - 2"	<b>S-585-70-SU</b>
bronze, 2-piece, full port, bronze trim, single union ends, blowout proof stem, threaded x solder	1/2" - 2"	<b>TS-585-70-SU</b>
bronze, 2-piece, full port, bronze trim, single union ends, blowout proof stem, solder x threaded	1/2" - 2"	<b>ST-585-70-SU</b>
bronze, 2-piece, full port, blowout proof stem, threaded ends	1/2" - 2"	<b>T-585-70-IC</b>
bronze, 2-piece, full port, bronze trim, blowout proof stem, can padlock handle, threaded	1/2" - 2"	<b>T-585-70-PL</b>
bronze, 3-way, conventional port, bronze trim, blowout proof stem, threaded	1/2" - 2"	<b>T-585-70-W3</b>
bronze, 3-way, full port, bronze trim, blowout proof stem, solder	1/2" - 1"	<b>S-585-70-W3</b>
bronze, 3-way, conventional port, 316SS trim, blowout proof stem, vented ball, threaded	1-1/4" - 2"	<b>T-585-70-66-W3</b>
bronze, 3-way, full port, 316SS trim, blowout proof stem, vented ball, solder	1/2" - 1"	<b>S-585-70-66-W3</b>
bronze, 2-piece, standard port, stainless steel trim, TFE seats, blowout proof stem, threaded	1/2" - 2"	<b>T-580-66</b>
bronze, 2-piece, standard port, stainless steel trim, TFE seats, blowout proof stem, solder	1/2" - 2"	<b>S-580-66</b>
bronze, 3-piece, full or conventional port, bronze trim, blowout proof stem, threaded ends	1/4" - 3"	<b>T-590-Y</b>
bronze, 3-piece, full or conventional port, bronze trim, blowout proof stem, solder ends	1/4" - 3"	<b>S-590-Y</b>
bronze, 3-piece, full or conventional port, 316SS trim, blowout proof stem, vented ball, threaded	1/4" - 3"	<b>T-590-Y-66</b>
bronze, 3-piece, full or conventional port, 316SS trim, blowout proof stem, vented ball, solder	1/4" - 3"	<b>S-590-Y-66</b>
bronze, 3-piece, full port, bronze trim, blowout proof stem, threaded	1/4" - 2-1/2"	<b>T-595-Y</b>
bronze, 3-piece, full port, bronze trim, blowout proof stem, solder	1/4" - 2-1/2"	<b>S-595-Y</b>
bronze, 3-piece, full port, 316SS trim, blowout proof stem, vented ball, threaded	1/4" - 2-1/2"	<b>T-595-Y-66</b>
bronze, 3-piece, full port 316SS trim, blowout proof stem, vented ball, solder	1/4" - 2-1/2"	<b>S-595-Y-66</b>
bronze, 3-piece, full port, blowout proof stem, thread x solder	1/4" - 2"	<b>TS-595-Y</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
NIBCO INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
<b><i>Check Valves</i></b>		
Class 125 Bronze, horizontal swing, regrinding type, y-pattern, renewable seat and disc, threaded ends	1/4" - 3"	<b>T-413-B</b>
Class 125 Bronze, horizontal swing, regrinding type, y-pattern, renewable seat and disc, solder ends	1/4" - 3"	<b>S-413-B</b>
Class 125 Bronze, horizontal swing, regrinding type, y-pattern, renewable seat and disc, threaded ends	1/4" - 3"	<b>S-413</b>
Class 125 Bronze, horizontal swing, regrinding type, y-pattern, renewable seat and disc, solder ends	1/4" - 3"	<b>T-413</b>

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
SMITH COOPER INTERNATIONAL, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
<b><i>Brass Gate Valves, Economy</i></b>		
Screwed in bonnet, non rising stem, FIPxFIP	1/2" - 4"	<b>171 4101</b>
Screwed in bonnet, non rising stem, CxC	1/2" - 2"	<b>172 4102</b>
<b><i>Brass Gate Valves, Premium</i></b>		
Solid wedge disc, screwed in bonnet, non rising stem, FIPxFIP	1/4" - 4"	<b>171 8501</b>
Solid wedge disc, screwed in bonnet, non rising stem	3/8" - 3"	<b>171 8502</b>
<b><i>Bronze Gate Valves</i></b>		
Solid wedge disc, screwed in bonnet, non rising stem, FIPxFIP	1/2" - 4"	<b>171 9101</b>
Solid wedge disc, screwed in bonnet, non rising stem, CxC	1/2" - 3"	<b>171 9102</b>
<b><i>Brass Gate Valves with Drain</i></b>		
Solid wedge disc, screwed in bonnet, non rising stem, FIPxFIP	1/2, 3/4, 1"	<b>171 8103</b>
Solid wedge disc, screwed in bonnet, non rising stem, CxC	1/2, 3/4, 1"	<b>171 8104</b>
<b><i>Brass Gate Valves, Compression Connection</i></b>		
Solid wedge disc, screwed in bonnet, non rising stem, CompXComp	1/2, 3/4, 1"	<b>171 8130</b>
<b><i>Brass Ball Valves, Full Port, Economy</i></b>		
PTFE seats & seals, blow out proof stem, FIPxFIP	1/4" - 4"	<b>172 8155</b>
PTFE seats & seals, blow out proof stem, CxC	1/2" - 2"	<b>172 8156</b>
<b><i>Brass Ball Valves, Full Port, Premium</i></b>		
Blow out proof stem, FIPxFIP	1/8" - 4"	<b>172 8170</b>
Blow out proof stem, CxC	1/2" - 3"	<b>172 8171</b>
<b><i>Brass Ball Valves with Drain, Full Port</i></b>		
Blow out proof stem, FIPxFIP	1/2, 3/4, 1"	<b>172 8175</b>
Blow out proof stem, CxC	1/2, 3/4, 1"	<b>172 8176</b>
<b><i>Ball Valves, Standard Port, Compression Ends</i></b>		
Teflon seals, chrome plated ball, CompXComp	1/2, 3/4, 1"	<b>172 8184</b>
<b><i>Brass Swing Check Valves, Economy</i></b>		
FIPxFIP	3/8" - 4"	<b>173 8191</b>
CxC	1/2" - 3"	<b>173 8192</b>
<b><i>Brass Swing Check Valves, Premium</i></b>		
FIPxFIP	1/2" - 4"	<b>173 9191</b>
CxC	1/2" - 2"	<b>173 9192</b>
<b><i>Bronze Globe Valves</i></b>		
FIPxFIP	3/8" - 1"	<b>176 4101</b>

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
SMITH COOPER INTERNATIONAL, INC.**

<b>Type of Valve/Features</b>	<b>Size Range</b>	<b>No.</b>
<b><i>Ground Key Stop &amp; Drain</i></b>		
FIPxFIP	1/2, 3/4, 1"	<b>176 7200</b>
<b><i>Straight Stops, Economy</i></b>		
IPS inlet, FIPxFIP	1/2, 3/4"	<b>190 130</b>
Sweat inlet, FIPxFIP	1/2, 3/4"	<b>190 140</b>
<b><i>Straight Stops, Premium</i></b>		
IPS inlet, FIPxFIP	1/2, 3/4"	<b>190 132</b>
Sweat inlet, CxC	1/2, 3/4"	<b>190 142</b>
<b><i>Straight Stops &amp; Wastes, Economy</i></b>		
IPS inlet, FIPxFIP	1/2, 3/4"	<b>190 135</b>
Sweat inlet, CxC	1/2, 3/4"	<b>190 145</b>
<b><i>Straight Stops &amp; Wastes, Premium</i></b>		
IPS inlet, FIPxFIP	1/2, 3/4"	<b>190 136</b>
Sweat inlet, CxC	1/2, 3/4"	<b>190 146</b>
Compression inlet, CompXComp	1/2, 3/4"	<b>190 150</b>
<b><i>Economy Gate Valves</i></b>		
Non rising stem	1/4", 3/8"	<b>171 4101</b>

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.**

<b>Type of Valve/Features</b>	<b>Series No.</b>	<b>Spec. Sheet</b>
<b><i>Water Pressure Regulators</i></b>		
High performance water pressure regulators	<b>Series U5</b>	C-2001-0114
Standard capacity water pressure regulators	<b>Series 25AUB</b>	C-2001-0114
Compact, versatile water pressure regulators	<b>Series N35B</b>	C-2001-0114
High capacity water pressure regulators	<b>Series 223</b>	C-2001-0114
Super capacity water pressure regulators	<b>Series N223F</b>	C-2001-0114
High capacity water pressure regulators	<b>Series 127W</b>	C-2001-0114
High performance low pressure regulators	<b>Series 123LP</b>	C-2001-0114
Small pressure regulators	<b>Series 26A, 263A</b>	C-2001-0114
Mini water pressure regulators	<b>Series 560</b>	C-2001-0114
Bronze water pressure regulators	<b>Series IR-56</b>	C-2001-0114
Precision regulator for low pressure	<b>Series 215</b>	C-2001-0114
<b><i>Automatic Control Valves</i></b>		
Pressure reducing automatic control valves	<b>Series 115</b>	C-2001-0114
Pressure relief or sustaining automatic control valves	<b>Series 116</b>	C-2001-0114
Float Control Valves	<b>Series 110</b>	C-2001-0114
Altitude level automatic control valves	<b>Series 127</b>	C-2001-0114
Solenoid control & pump control automatic control valves	<b>Series 113</b>	C-2001-0114
Rate of flow automatic control valves	<b>Series 114</b>	C-2001-0114
Check automatic control valves	<b>Series 118</b>	C-2001-0114
<b><i>Backflow Preventers</i></b>		
Double check valve assembly backflow preventers	<b>Series 007 &amp; 007DCDA</b>	C-2001-0114
Double check valve assembly backflow preventers	<b>Series 709</b>	C-2001-0114
Double check detector assembly backflow preventers	<b>Series 709DCDA</b>	C-2001-0114
Reduced pressure backflow preventers	<b>Series 009</b>	C-2001-0114
Reduced pressure backflow preventers	<b>Series 909 (3/4" - 2")</b>	C-2001-0114
Reduced pressure backflow preventers	<b>Series 909 (2 1/2" - 10")</b>	C-2001-0114
Reduced pressure detector assembly backflow preventers	<b>Series 909 RPDA</b>	C-2001-0114
Backflow preventers/vacuum breakers	<b>Model 9BD</b>	C-2001-0114
High pressure hose drop backflow preventer	<b>Series 912HP</b>	C-2001-0114
Health hazard backflow preventer anti-siphon, spill resistant	<b>Series 008PCQT</b>	C-2001-0114
Anti-siphon pressure vacuum breakers	<b>Series 800M4QT/800M4FR</b>	C-2001-0114
Anti-siphon vacuum breakers	<b>Series 188A/288A/289/N388</b>	C-2001-0114
Dual-check backflow preventers	<b>Series 7</b>	C-2001-0114
Hose connection vacuum breakers	<b>Series 8</b>	C-2001-0114
Double Check Valve Assembly Backflow Preventer	<b>Series 2000B</b>	M83-20 0125
Double Check Detector Assembly Backflow Preventer	<b>Series 3000B</b>	M82-107
Reduced Pressure Zone Backflow Preventer	<b>Series 4000B</b>	M83-40 07/01
<b><i>Ball Valves</i></b>		
Standard port, bronze ball valves	<b>Series B-6000, B-6001</b>	C-2001-0114
Conventional port, bronze ball valve	<b>Series B-6111-EZ</b>	C-2001-0114

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.**

<b>Type of Valve/Features</b>	<b>Series No.</b>	<b>Spec. Sheet</b>
EZ valve with "Run Tee"	<b>Series B-6111-EZ-RT</b>	C-2001-0114
EZ valve with "Branch Tee"	<b>Series B-6111-EZ-BT</b>	C-2001-0114
Conventional port, bronze ball valve	<b>Series B-6111-PEX</b>	C-2001-0114
Bronze, full port ball valves	<b>Series B-6080/B-6081</b>	C-2001-0114
Ball & waste, full port, bronze ball valves	<b>Series B-6300/B-6301</b>	C-2001-0114
Diverter, bronze, full port ball valves	<b>Series B-6780B/6781</b>	C-2001-0114
Male connection, standard port bronze ball valves	<b>Series B-6002</b>	C-2001-0114
Standard port, bronze ball valves	<b>Series B-6004</b>	C-2001-0114
Union end, standard port, bronze ball valves	<b>Series B-6010/B-6011/B-6012/ B6013-B-6014/B-6015</b>	C-2001-0114
Standard port ball valves with mounting pad	<b>Series B-6400</b>	C-2001-0114
Forged brass, full port ball valves	<b>Series B-6800</b>	C-2001-0114
Bronze, 2 piece standard port ball valves	<b>Series B-6000-CC/B-6001-CC</b>	C-2001-0114
Bronze full port ball valves	<b>Series FBV/FBVS</b>	C-2001-0114
2 piece full port brass ball valves	<b>Series FBV-3/FBVS-3</b>	C-2001-0114
Brass Ball Valve Full Port iron pipe size 1/4"	<b>5000</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 3/8"	<b>5001</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 1/2"	<b>5002</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 3/4"	<b>5003</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 1"	<b>5004</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 1 1/4"	<b>5005</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 1 1/2"	<b>5006</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port iron pipe size 2"	<b>5007</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 1/2"	<b>5102</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 3/4"	<b>5103</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 1"	<b>5104</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 1 1/4"	<b>5105</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 1 1/2"	<b>5106</b>	F-V-WB&T 0124-2
Brass Ball Valve Full Port copper x copper 2"	<b>5107</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 1/2"	<b>7002</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 3/4"	<b>7003</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 1"	<b>7004</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 1 1/4"	<b>7005</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 1 1/2"	<b>7006</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port iron pipe size 2"	<b>7007</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 1/2"	<b>7102</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 3/4"	<b>7103</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 1"	<b>7104</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 1 1/4"	<b>7105</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 1 1/2"	<b>7106</b>	F-V-WB&T 0124-2
Brass Ball Valve Standard Port copper x copper 2"	<b>7107</b>	F-V-WB&T 0124-2
Ball & waste, full port brass ball valves	<b>Series IT-6300/IS-6301</b>	C-2001-0114
Standard port brass ball valves	<b>Series WBV/WBVS/WBV</b>	C-2001-0114
2-piece standard port brass ball valves	<b>Series WBV-3/WBVS-3</b>	C-2001-0114

June 10, 2004

Page 26

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.**

<b>Type of Valve/Features</b>	<b>Series No.</b>	<b>Spec. Sheet</b>
<b>Check Valves</b>		
Bronze silent check valves	<b>Series 600/601S</b>	C-2001-0114
Bronze silent check valve	<b>Series 600</b>	C-2001-0114
Bronze shut-off valves	<b>Series GV and GLV</b>	C-2001-0114
Bronze swing check valves	<b>Series CV/CVY</b>	C-2001-0114
Well-system check valve	<b>Series ECV/LCV</b>	C-2001-0114
Class 125 bronze check valve	<b>Series B-5000</b>	C-2001-0114
Class 125 bronze check valve	<b>Series B-5001</b>	C-2001-0114
Class 125 bronze check valve	<b>Series B-5000-T</b>	C-2001-0114
Class 125 bronze check valve	<b>Series B-5001-T</b>	C-2001-0114
Class 150 bronze check valve	<b>Series B-5300-T</b>	C-2001-0114
Class 150 bronze check valve	<b>Series B-5301-T</b>	C-2001-0114
Class 200 bronze check valve	<b>Series B-5020</b>	C-2001-0114
Class 300 bronze check valve	<b>Series B-5030</b>	C-2001-0114
Brass midi check valve	<b>Series 6</b>	C-2001-0114
<b>Strainers</b>		
Bronze wye-type strainers	<b>Series 777</b>	C-2001-0114
Bronze, flanged, wye-pattern strainers	<b>Series 77F-BI</b>	C-2001-0114
Bronze compact V-pattern water strainers	<b>Series 27</b>	C-2001-0114
45 degree wye-pattern bronze strainers	<b>Model 745</b>	C-2001-0114
Bronze in-line single union end strainers	<b>Series 17</b>	C-2001-0114
Bronze combination strainer and check valve	<b>Series 777C-M1</b>	C-2001-0114
30 degree wye-patter bronze strainer	<b>Series 777I</b>	F-C77 0124
<b>Saddle Valves</b>		
Brass Saddle Valve Tube to Pipe 1/4	<b>W104C-4</b>	C-WB&T-Fits/vlv 9950-1
Brass Saddle Valve Tube to Pipe 5/16	<b>W104C-5</b>	C-WB&T-Fits/vlv 9950-1
Brass Saddle Valve Tube to Pipe 3/8	<b>W104C-6</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign Saddle Valve Tube to Pipe 1/4	<b>W9104C-4</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign Saddle Valve Tube to Pipe 5/16	<b>W9104C-5</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign Saddle Valve Tube to Pipe 3/8	<b>W9104C-6</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign/Poly Saddle Valve Tube to Pipe 1/4	<b>W9104-CP-4</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign/Poly Saddle Valve Tube to Pipe 5/16	<b>W9104-CP-5</b>	C-WB&T-Fits/vlv 9950-1
Ander-Lign/Poly Saddle Valve Tube to Pipe 3/8	<b>W9104-CP-6</b>	C-WB&T-Fits/vlv 9950-1
Tube to Self Tapping Saddle Valve 1/4	<b>W604C-4</b>	C-WB&T-Fits/vlv 9950-1
Tube to Self Tapping Saddle Valve 3/8	<b>W604C-6</b>	C-WB&T-Fits/vlv 9950-1
Tube to Pipe Steel Saddle Valve 1/4	<b>W504C-4</b>	C-WB&T-Fits/vlv 9950-1
Tube to Pipe Steel Saddle Valve 3/8	<b>W504C-6</b>	C-WB&T-Fits/vlv 9950-1
<b>Gate Valves</b>		
Brass M Gate Valve iron pipe size 1/4"	<b>3800</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 3/8"	<b>3801</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 1/2"	<b>3802</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 3/4"	<b>3803</b>	F-V-WB&T 0124-2

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.**

<b>Type of Valve/Features</b>	<b>Series No.</b>	<b>Spec. Sheet</b>
Brass M Gate Valve iron pipe size 1"	<b>3804</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 1 1/4"	<b>3805</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 1 1/2"	<b>3806</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 2"	<b>3807</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 2 1/2"	<b>3808</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 3"	<b>3809</b>	F-V-WB&T 0124-2
Brass M Gate Valve iron pipe size 4"	<b>3810</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 1/2"	<b>3902</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 3/4"	<b>3903</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 1"	<b>3904</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 1 1/4"	<b>3905</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 1 1/2"	<b>3906</b>	F-V-WB&T 0124-2
Brass M Gate Valve copper x copper 2"	<b>3907</b>	F-V-WB&T 0124-2
Brass gate valves	<b>Series WGV</b>	C-2001-0114
Brass gate valves	<b>Series WGV-1</b>	C-2001-0114
Class 125 bronze gate valve	<b>Series B-3000</b>	C-2001-0114
Class 125 bronze gate valve	<b>Series B-3001</b>	C-2001-0114
Class 125 bronze gate valve	<b>Series B-3100</b>	C-2001-0114
Class 125 bronze gate valve	<b>Series B-3101</b>	C-2001-0114
Class 150 bronze gate valve	<b>Series B-3110</b>	C-2001-0114
Class 150 bronze gate valve	<b>Series B-3111</b>	C-2001-0114
Class 125 bronze gate valve	<b>Series B-3200</b>	C-2001-0114
Class 150 bronze gate valve	<b>Series B-3210</b>	C-2001-0114
Class 150 bronze gate valve	<b>Series B-3310</b>	C-2001-0114
Class 150 bronze gate valve	<b>Series B-3510</b>	C-2001-0114
Class 200 bronze gate valve	<b>Series B-3020</b>	C-2001-0114
Class 200 bronze gate valve	<b>Series B-3020-BS</b>	C-2001-0114
Class 300 bronze gate valve	<b>Series B-3030</b>	C-2001-0114
Class 300 bronze gate valve	<b>Series B-3030-BS</b>	C-2001-0114
Class 300 bronze gate valve	<b>Series B-3330-BS</b>	C-2001-0114
<b>Swing Check Valves</b>		
Brass Swing Check Valve iron pipe size 1/2"	<b>2202</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 3/4"	<b>2203</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 1"	<b>2204</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 1 1/4"	<b>2205</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 1 1/2"	<b>2206</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 2"	<b>2207</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 2 1/2"	<b>2208</b>	F-V-WB&T 0124-2
Brass Swing Check Valve iron pipe size 3"	<b>2209</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 1/2"	<b>2302</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 3/4"	<b>2303</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 1"	<b>2304</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 1 1/4"	<b>2305</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 1 1/2"	<b>2306</b>	F-V-WB&T 0124-2
Brass Swing Check Valve copper x copper 2"	<b>2307</b>	F-V-WB&T 0124-2

June 10, 2004

Page 28

**Attachment B****Products manufactured, sold, distributed and/or marketed by  
WATTS REGULATOR CO. and WATTS WATER TECHNOLOGIES INC.**

<b>Type of Valve/Features</b>	<b>Series No.</b>	<b>Spec. Sheet</b>
Brass swing check valve	<b>Series WCV</b>	C-2001-0114
<b>Low Pressure Valves (Stop and Stop &amp; Waste)</b>		
Brass Low Pressure Valve copper x copper 1/2" stop	<b>10-1</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve copper x copper 3/4" stop	<b>10-2</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve copper x copper 1/2" stop & waste	<b>10-3</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve copper x copper 3/4" stop & waste	<b>10-4</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve iron pipe size 1/2" stop	<b>10-6</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve iron pipe size 3/4" stop	<b>10-7</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve iron pipe size 1/2" stop & waste	<b>10-8</b>	F-V-WB&T 0124-2
Brass Low Pressure Valve iron pipe size 3/4" stop & waste	<b>10-9</b>	F-V-WB&T 0124-2
<b>Globe Valves</b>		
Brass Globe Valve long bonnet 1/2" IPS globe valve	<b>15-1</b>	F-V-WB&T 0124-2
Brass Globe Valve long bonnet 1/2" copper solder globe valve	<b>15-2</b>	F-V-WB&T 0124-2
Brass Globe Valve long bonnet 1/2" IPS angle valve	<b>15-3</b>	F-V-WB&T 0124-2
Brass Globe Valve long bonnet 1/2" copper solder angle valve	<b>15-4</b>	F-V-WB&T 0124-2
Brass Globe Valve angle valve 1/2" IPS x 1/2" IPS	<b>17-1</b>	F-V-WB&T 0124-2
Brass Globe Valve angle valve 1/2" copper solder x 1/2" copper solder	<b>17-2</b>	F-V-WB&T 0124-2
Class 125 bronze globe valve	<b>Series B-4000</b>	C-2001-0114
Class 125 bronze globe valve	<b>Series B-4001</b>	C-2001-0114
Class 125 bronze globe valve	<b>Series B-4200</b>	C-2001-0114
Class 150 bronze globe valve	<b>Series B-4010-T</b>	C-2001-0114
Class 150 bronze globe valve	<b>Series B-4011-T</b>	C-2001-0114
Class 150 bronze globe valve	<b>Series B-4010-SS</b>	C-2001-0114
Class 150 bronze globe valve	<b>Series B-4210-T</b>	C-2001-0114
Class 200 bronze globe valve	<b>Series B-4020</b>	C-2001-0114
Class 200 bronze globe valve	<b>Series B-4020-SS</b>	C-2001-0114
Class 300 bronze globe valve	<b>Series B-4030</b>	C-2001-0114
Class 300 bronze globe valve	<b>Series B-4030-SS</b>	C-2001-0114
Class 300 bronze angle globe valve	<b>Series B-4230</b>	C-2001-0114
<b>Other Valves</b>		
Thermostatic mixing valve	<b>Model L111</b>	C-2001-0114
Thermostatic mixing valve	<b>Series MMV</b>	C-2001-0114
Hot water temperature control valves	<b>Series 1170</b>	C-2001-0114
UnderSink Guardian Professional	<b>Series USG-B</b>	C-2001-0114
Stop and waste shut-off valves	<b>Series SW/SS</b>	C-2001-0114
Brass angle meter valves	<b>Series WAMV</b>	C-2001-0114
Hydroguard Under-the-Counter Thermostatic Tempering Valve	<b>Series 420</b>	Powers Controls
Hydroguard Master Mixing Valve	<b>Series 430</b>	Powers Controls
Hydroguard Under-the-Counter Thermostatic Tempering Valve	<b>Series 480</b>	Powers Controls
Hydroguard Under-the-Counter Thermostatic Tempering Valve	<b>Series 490</b>	Powers Controls
Combination ball valve and relief valve	<b>Series BRVS/BRVT</b>	C-2001-0114

**Attachment B**

**Products manufactured, sold, distributed and/or marketed by  
ZURN INDUSTRIES, INC.**

Type of Valves/Features	Size Range	No.
<b><i>Check Valves/Backflow Preventers</i></b>		
In-Line Single Check Valve	unknown	<b>40 Series</b>
Dual Check Valve Backflow Preventer	unknown	<b>700 Series</b>
Dual Check Valve Backflow Preventer	unknown	<b>Model 950LF</b>
Reduced Pressure Principle	unknown	<b>975XL</b>
Reduced Pressure Principle w/ Elbows	unknown	<b>975LV Series</b>
Reduced Pressure Principle w/ 90 degree Elbows	unknown	<b>975LSE</b>
Pre-Plumbed Backflow Station Pre-Set Series	unknown	<b>unknown</b>
Reduced Pressure Principle w/ Integral Reliev Valve Monitor Switch Pat. No. 5,425,393	unknown	<b>975XLMS Series</b>
Double Check Valve Assembly	unknown	<b>950XL Series</b>
Double Check Valve w/ Elbows	unknown	<b>950XL V Series</b>
Top Access Double Check Valve Assembly	unknown	<b>950XLT Series</b>
<b><i>Water Pressure Reducing Valves</i></b>		
with Integral By-Pass Check Valve	unknown	<b>500 Series</b>
with Flanged Connections	unknown	<b>500 FC Series</b>
with By-Pass Connections	unknown	<b>Model 500 FCBP</b>
///	unknown	<b>500YSBR Series</b>
///	unknown	<b>600 Series</b>
with Integral By-Pass Check Valve and Male Meter Connections	unknown	<b>Model 600 DM</b>
///	unknown	<b>70 Series</b>
///	unknown	<b>90 Series</b>
with Double Union Connections	unknown	<b>Model 70DU</b>
///	unknown	<b>Model BR4</b>
///	unknown	<b>BR4EC Series</b>
with Double Union PEX Connection	unknown	<b>Model BR4DUPEX</b>
<b><i>Ball Valves</i></b>		
Full Port Brass	unknown	<b>Model 850</b>
<b><i>Strainers</i></b>		
Bronze	unknown	<b>YB Series</b>
Bronze	unknown	<b>S Series</b>

**Certificate of Service**

I, the undersigned, declare under penalty of perjury under the laws of the State of California that the following is true and correct:

I am citizen of the United States, over the age of 18 years, and not a party to the with within action; my business address is 311 California Street, Suite 510, San Francisco, CA 94104.

On June 10, 2004, I served the following documents

- **Notice of Violation of California Health & Safety Code §25249.5 *et seq.***
- **"The Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): A Summary"**

on the following parties by placing a true and correct copy thereof in a sealed envelope, addressed to the parties listed below, and depositing it at a United State Postal Service Office for delivery by Certified Mail:

**Mr. Heath Sharp, President**  
Cash Acme (A division of Reliance Worldwide Corp.)  
2400 7<sup>th</sup> Avenue, SW  
Cullman, AL 35055

**Mr. Herschel L. Seder, CEO**  
Milwaukee Valve Company, Inc.  
2375 S. Burrell Street  
Milwaukee, WI 53207

**Mr. Gerald Priest, CEO**  
CMB Industries, Inc.  
13515 Ballantyne Corp. Pl.  
Charlotte, NC 28277

**Mr. William D. O'Hagan, President**  
Mueller Industries, Inc.  
8285 Tournament Drive, Suite 150  
Memphis, TN 38125

**Mr. Glenn L. Mosack, CEO**  
Conbraco Industries, Inc.  
P.O. Box 247  
Matthews, NC 28106

**Mr. Rex Martin, CEO**  
Nibco Inc.  
P.O. Box 1167  
Elkhart, IN 46515

**Mr. Eric C. Fast, CEO**  
Crane Co.  
100 First Stamford Place  
Stamford, CT 06902

**Mr. Ronald Kurstin, CEO**  
Smith Cooper International, Inc.  
2867 Vail Avenue  
Los Angeles, CA 90040

**Mr. Steve W. Twellman, CEO**  
Kitz Corporation of America  
10750 Corporate Drive  
Stafford, TX 77477

**Mr. Patrick S. O'Keefe, CEO**  
Watts Regulator Co. and Watts Water Technologies Inc.  
815 Chestnut Street  
North Andover, MA 01845

**Mr. Lawrence Greenspon, President**  
LDR Industries, Inc.  
600 N. Kilbourne Avenue  
Chicago, IL 60624

**Mr. Alex P. Marini, CEO**  
Zurn Industries, Inc.  
P.O. Box 709001  
Dallas, TX 75370-9001

**Mr. David F. Hickman**  
Legend Valve & Fitting, Inc.  
51245 Filomena Drive  
Shelby Township, MI 48315

Notice of Violation of California Health & Safety Code §25249.5 *et seq.*

June 10, 2004

Page 31

On June 10, 2004, I served the following document(s):

- **Notice of Violation of California Health & Safety Code §25249.5 *et seq.***

on the following party by placing a true and correct copy thereof in a sealed envelope, addressed to the party listed below, and depositing it at a United States Postal Service Office for delivery by Certified Mail:

**Attn: Craig Thompson, Deputy Attorney General**  
**California Department of Justice**  
**P. O. Box 944255**  
**Sacramento, CA 94244-2550**

and on each of the parties on the service list attached hereto by placing a true and correct copy thereof in a sealed envelope, addressed to each of the parties on the service list attached hereto, and depositing it at a United States Postal Service mail box.

Executed on June 10, 2004, at San Francisco, California.

---

PUBLIC ENFORCEMENT AGENCIES SERVICE LIST (updated 03/25/04)

THE HONORABLE THOMAS J ORLOFF  
ALAMEDA COUNTY DISTRICT ATTORNEY  
1225 FALLON ST RM 900  
OAKLAND CA 94612

THE HONORABLE ARTHUR MAILLET  
INYO COUNTY DISTRICT ATTORNEY  
PO DRAWER D  
INDEPENDENCE CA 93526

THE HONORABLE DEAN FLIPPO  
MONTEREY COUNTY DISTRICT ATTORNEY  
PO BOX 1131  
SALINAS CA 93902

THE HONORABLE WILLIAM RICHMOND  
ALPINE COUNTY DISTRICT ATTORNEY  
PO BOX 248  
MARKLEEVILLE CA 96120

THE HONORABLE EDWARD R JAGELS  
KERN COUNTY DISTRICT ATTORNEY  
1215 TRUXTUN AVE  
BAKERSFIELD CA 93301

THE HONORABLE GARY LIEBERSTEIN  
NAPA COUNTY DISTRICT ATTORNEY  
931 PARKWAY MALL  
NAPA CA 94559

THE HONORABLE TODD D RIEBE  
AMADOR COUNTY DISTRICT ATTORNEY  
708 COURT ST STE 202  
JACKSON CA 95642

THE HONORABLE RON CALHOUN  
KINGS COUNTY DISTRICT ATTORNEY  
1400 W LACEY BLVD  
HANFORD CA 93230

THE HONORABLE MICHAEL FERGUSON  
NEVADA COUNTY DISTRICT ATTORNEY  
201 CHURCH ST STE 8  
NEVADA CITY CA 95959

THE HONORABLE MICHAEL RAMSEY  
BUTTE COUNTY DISTRICT ATTORNEY  
25 COUNTY CTR DR  
OROVILLE CA 95965

THE HONORABLE GERHARD LUCK  
LAKE COUNTY DISTRICT ATTORNEY  
255 N FORBES ST  
LAKEPORT CA 95453

THE HONORABLE TONY RACKAUCKAS  
ORANGE COUNTY DISTRICT ATTORNEY  
401 CIVIC CTR DR WEST  
SANTA ANA CA 92701

THE HONORABLE JEFFREY TUTTLE  
CALAVERAS COUNTY DISTRICT ATTORNEY  
891 MTN RANCH RD  
SAN ANDREAS CA 95249

THE HONORABLE ROBERT BURNS  
LASSEN COUNTY DISTRICT ATTORNEY  
220 S LASSEN ST STE 8  
SUSANVILLE CA 96130

THE HONORABLE BRAD FENOCCHIO  
PLACER COUNTY DISTRICT ATTORNEY  
11562 B AVE  
AUBURN CA 95603

THE HONORABLE JOHN POYNER  
COLUSA COUNTY DISTRICT ATTORNEY  
547 MARKET ST  
COLUSA CA 95932

THE HONORABLE STEVE COOLEY  
LA COUNTY DISTRICT ATTORNEY  
210 W TEMPLE ST STE 18000  
LOS ANGELES CA 90012-3210

THE HONORABLE JEFF CUNAN  
PLUMAS COUNTY DISTRICT ATTORNEY  
520 MAIN ST RM 404  
QUINCY CA 95971

THE HONORABLE ROBERT KOCHLY  
CONTRA COSTA COUNTY DISTRICT ATTORNEY  
PO BOX 670  
MARTINEZ CA 94553

THE HONORABLE ERNEST LICALSI  
MADERA COUNTY DISTRICT ATTORNEY  
209 W YOSEMITE AVE  
MADERA CA 93637

THE HONORABLE GROVER C TRASK II  
RIVERSIDE COUNTY DISTRICT ATTORNEY  
4075 MAIN ST  
RIVERSIDE CA 92501

THE HONORABLE MICHAEL RIESE  
DEL NORTE COUNTY DISTRICT ATTORNEY  
450 H ST STE 171  
CRESCENT CITY CA 95531

THE HONORABLE PAULA FRESCHI KAMENA  
MARIN COUNTY DISTRICT ATTORNEY  
3501 CIVIC CTR DR RM 130  
SAN RAFAEL CA 94903

THE HONORABLE JAN SCULLY  
SACRAMENTO COUNTY DISTRICT ATTORNEY  
901 G ST  
SACRAMENTO CA 95814

THE HONORABLE GARY L LACY  
EL DORADO COUNTY DISTRICT ATTORNEY  
515 MAIN ST  
PLACERVILLE CA 95667

THE HONORABLE ROBERT BROWN  
MARIPOSA COUNTY DISTRICT ATTORNEY  
PO BOX 730  
MARIPOSA CA 95338

THE HONORABLE JOHN SARFIELD  
SAN BENITO COUNTY DISTRICT ATTORNEY  
419 FOURTH ST, FL 2  
HOLLISTER CA 95023

THE HONORABLE ELIZABETH EGAN  
FRESNO COUNTY DISTRICT ATTORNEY  
2220 TULARE ST STE 1000  
FRESNO CA 93721

THE HONORABLE NORMAN VROMAN  
MENDOCINO COUNTY DISTRICT ATTORNEY  
PO BOX 1000  
UKIAH CA 95482

THE HONORABLE MICHAEL RAMOS  
SAN BERNARDINO COUNTY DISTRICT ATTORNEY  
316 N MTN VIEW AVE  
SAN BERNARDINO CA 92415-0004

THE HONORABLE ROBERT HOLZAPFEL  
GLENN COUNTY DISTRICT ATTORNEY  
PO BOX 430  
WILLOWS CA 95988

THE HONORABLE GORDON SPENCER  
MERCED COUNTY DISTRICT ATTORNEY  
2222 M ST  
MERCED CA 95340

THE HONORABLE BONNIE DUMANIS  
SAN DIEGO COUNTY DISTRICT ATTORNEY  
330 W BROADWAY STE 1320  
SAN DIEGO CA 92101

THE HONORABLE PAUL GALLEGOS  
HUMBOLDT COUNTY DISTRICT ATTORNEY  
825 FIFTH ST  
EUREKA CA 95501

THE HONORABLE JORDAN FUNK  
MODOC COUNTY DISTRICT ATTORNEY  
204 S COURT ST RM 202  
ALTURAS CA 96101-4020

THE HONORABLE KAMALA HARRIS  
SAN FRANCISCO COUNTY DISTRICT ATTORNEY  
880 BRYANT ST RM 325  
SAN FRANCISCO CA 94103

THE HONORABLE GILBERT OTERO  
IMPERIAL COUNTY DISTRICT ATTORNEY  
939 W MAIN ST  
EL CENTRO CA 92243

THE HONORABLE GEORGE BOOTH  
MONO COUNTY DISTRICT ATTORNEY  
PO BOX 617  
BRIDGEPORT CA 93517

THE HONORABLE JOHN D PHILLIPS  
SAN JOAQUIN COUNTY DISTRICT ATTORNEY  
PO BOX 990  
STOCKTON CA 95201-0990

PUBLIC ENFORCEMENT AGENCIES SERVICE LIST (updated 03/25/04)

THE HONORABLE GERALD T SHEA  
SAN LUIS OBISPO COUNTY DISTRICT ATTORNEY  
1050 MONTEREY ST RM 450  
SAN LUIS OBISPO CA 93408

THE HONORABLE JAMES P FOX  
SAN MATEO COUNTY DISTRICT ATTORNEY  
400 COUNTY CTR FL 3  
REDWOOD CITY CA 94063

THE HONORABLE THOMAS W SNEDDON JR  
SANTA BARBARA COUNTY DISTRICT ATTORNEY  
1105 SANTA BARBARA ST  
SANTA BARBARA CA 93101

THE HONORABLE GEORGE KENNEDY  
SANTA CLARA COUNTY DISTRICT ATTORNEY  
70 W HEDDING ST WEST WING  
SAN JOSE CA 95110

THE HONORABLE BOB LEE  
SANTA CRUZ COUNTY DISTRICT ATTORNEY  
701 OCEAN ST RM 200  
SANTA CRUZ CA 95060

THE HONORABLE GERALD C. BENITO  
SHASTA COUNTY DISTRICT ATTORNEY  
1525 COURT ST FL 3  
REDDING CA 96001

THE HONORABLE LAWRENCE ALLEN  
SIERRA COUNTY DISTRICT ATTORNEY  
PO BOX 457  
DOWNIEVILLE CA 95936

THE HONORABLE PETER F KNOLL  
SISKIYOU COUNTY DISTRICT ATTORNEY  
PO BOX 986  
YREKA CA 96097

THE HONORABLE DAVID W PAULSON  
SOLANO COUNTY DISTRICT ATTORNEY  
600 UNION AVE  
FAIRFIELD CA 94533

THE HONORABLE STEPHEN PASSALACQUA  
SONOMA COUNTY DISTRICT ATTORNEY  
600 ADMINISTRATION DR RM 212-J  
SANTA ROSA CA 95403

THE HONORABLE JAMES C BRAZELTON  
STANISLAUS COUNTY DISTRICT ATTORNEY  
PO BOX 442  
MODESTO CA 95353

THE HONORABLE CARL V ADAMS  
SUTTER COUNTY DISTRICT ATTORNEY  
446 SECOND ST  
YUBA CITY CA 95991

THE HONORABLE GREGG COHEN  
TEHAMA COUNTY DISTRICT ATTORNEY  
PO BOX 519  
RED BLUFF CA 96080

THE HONORABLE DAVID L CROSS  
TRINITY COUNTY DISTRICT ATTORNEY  
PO BOX 310  
WEAVERVILLE CA 96093

THE HONORABLE PHILLIP J CLINE  
TULARE COUNTY DISTRICT ATTORNEY  
221 S MOONEY AVE RM 224  
VISALIA CA 93291

THE HONORABLE DONALD I SEGERSTROM  
TUOLUMNE COUNTY DISTRICT ATTORNEY  
2 SOUTH GREEN ST  
SONORA CA 95370

THE HONORABLE GREG TOTTEN  
VENTURA COUNTY DISTRICT ATTORNEY  
800 S VICTORIA AVE  
VENTURA CA 93009

THE HONORABLE DAVID C HENDERSON  
YOLO COUNTY DISTRICT ATTORNEY  
301 SECOND ST  
WOODLAND CA 95695

THE HONORABLE PATRICK MCGRATH  
YUBA COUNTY DISTRICT ATTORNEY  
215 FIFTH ST  
MARYSVILLE CA 95901

LOS ANGELES CITY ATTORNEY'S OFFICE  
800 CITY HALL EAST  
200 N MAIN ST  
LOS ANGELES CA 90012

SAN DIEGO CITY ATTORNEY'S OFFICE  
CIVIC CENTER PLAZA  
1200 THIRD AVE STE 1620  
SAN DIEGO CA 92101

SAN JOSE CITY ATTORNEY'S OFFICE  
151 W MISSION ST  
SAN JOSE CA 95110

SAN FRANCISCO CITY ATTORNEY'S OFFICE  
CITY HALL RM 234  
SAN FRANCISCO, CA 94102