	74	
1		
2	BARBARA J. CHISHOLM (SBN 224656) ALTSHULER BERZON LLP	
3	177 Post Street, Suite 300 San Francisco, CA 94108 Tel: (415) 421-7151	
4 5	Fax: (415) 362-8064 E-mail: bchisholm@altber.com	
6	Attorneys for Plaintiff As You Sow	
7	MARK S. PECHECK (SBN 116084) VANESSA C. ADRIANCE (SBN 247464)	
8	GIBSON DUNN & CRUTCHER 333 South Grand Avenue Los Angeles, CA 90071	
9	Tel: (213) 229-7754 Fax: (213) 229-6754	
10	E-mail: vadriance@gibsondunn.com	
11	Attorneys for Defendants E-Z Mix, Inc.; Angelus Bl Bonsal American, Inc.; and Oldcastle, Inc.	ock Co., Inc.;
12 13	M. TAYLOR FLORENCE (SBN 159695) LOCKE LORD LLP	
14	500 CAPITOL MALL, SUITE 1800 Sacramento, CA 95814	24
15	Tel: (916) 930-2500 Fax: (916) 930-2501 Fax: (916) 930-2501	
16	E-mail: tflorence@lockelord.com	
17	Attorneys for Defendants Basalite Concrete Products Coast Building Products, Inc.; Bonsal American, Inc	s, LLC; Pacific c.; and Oldcastle, Inc.
18	SUPERIOR COURT OF THE ST	TATE OF CALIFORNIA
19	FOR THE COUNTY O	OF ALAMEDA
20	AS YOU SOW, Plaintiff,	Case Nos. RG12661017, RG13669447 [PROPOSED] CONSENT JUDGMENT
21	v.	Complex Civil Cases
22 23	BASALITE CONCRETE PRODUCTS, LLC, et al., Defendants.	•
24		
25	AS YOU SOW, Plaintiff,	
26	v.	
27	E-Z MIX INC., et al., Defendants.	
28		
	-1- Case Nos. RG12661017	, RG13669447
	[PROPOSED] CONSEN	

PARTIES AND COMPLAINTS 1.

1

2

3

4

5

8

9

10

11

12

14

15

18

19

20

21

22

23

24

25

26

- AYS is a non-profit corporation dedicated to, among other causes, the protection of 1.1 the environment, the promotion of human health, the improvement of worker and consumer rights, environmental education, and corporate accountability. AYS is based in Oakland, California and is incorporated under the laws of the State of California.
- Basalite Defendants, including Basalite Concrete Products, LLC, and 1.2 a. Pacific Coast Building Products, Inc., manufacture, distribute and/or sell various ready-mix dry cement products including Sakrete® and Basalite brand products. The "Covered Basalite Products" are identified in Attachment A. To the extent the Basalite Defendants identify additional ready-mix dry cement products manufactured, distributed or sold by Basalite Defendants prior to the Effective Date that they believe should be subject to the terms of this Consent Judgment, they will provide information regarding those products to the Parties pursuant to the notice provisions herein, and the Parties may agree to add those products to the list of Covered Basalite Products if the products contain chromium (hexavalent compounds) (hereinafter "chromium") and/or arsenic (inorganic compounds, including inorganic oxides) (hereinafter "arsenic") and the normal intended use of the products would reasonably be expected to result in exposures to such chemical(s) at levels requiring a warning pursuant to Proposition 65. Such agreement shall not be unreasonably withheld, and Basalite shall be entitled to move the Court for an amendment of this Consent Judgment to include any such products.

Case Nos. RG12661017, RG13669447 [PROPOSED] CONSENT JUDGMENT

Case Nos. RG12661017, RG13669447 [PROPOSED] CONSENT JUDGMENT

[PROPOSED] CONSENT JUDGMENT

PROPOSICION 65 DE ADVERTENCIA. Este producto contiene químicos conocidos en el estado de California como causante de cáncer, defectos de nacimiento u otros daños reproductivos.

-01-

PROPOSICION 65 ADVERTENCIA --Este producto contiene químicos conocidos por el Estado de California que causan cáncer, defectos de nacimiento y otros danos al sistema reproductivo.

- 4.2 The warning statements required in Paragraph 4.1 shall be prominently affixed to or printed on the Covered Products' packaging and labeling and shall be displayed with such conspicuousness, as compared with other words, statements, designs, or devices on the Covered Products, or their packaging or labeling, as to render the warning statement likely to be read and understood by an ordinary individual under customary conditions of purchase and use.
- 4.3 The Parties agree, and the Court so finds, that the content and the placement of the warning statements as shown in Attachment C hereto meets the requirements of Paragraphs 4.1 and 4.2 of this Consent Judgment; provided, however, that the E-Z Mix Defendants agree that, in any orders placed for the printing or production of any packaging or labeling for Covered Products after the Effective Date, they will change the font size of the word "WARNING," as reflected on pages 4-7 of Attachment C so that the word is the same size as the words "Proposition 65."
- 4.4 Neither E-Z Mix, Inc. nor Angelus Block, Inc. currently produces, distributes or sells Sakrete® Surface Bonding Cement, Sakrete® One-Coat Fibered Stucco Mix, Basalite® Plastic Cement, Basalite® Concrete Mix, or Basalite® Portland Cement for use in California. In the event E-Z Mix, Inc. or Angelus Block, Inc. begins producing, distributing or selling any of these products for use in California, the company shall provide warnings in accordance with Paragraphs 4.1 and 4.2 of this Consent Judgment.
- 4.5 Neither Bonsal American, Inc. nor Oldcastle, Inc. currently produces, distributes or sells Covered Products for use in California. In the event Bonsal American, Inc. or Oldcastle, Inc. begins producing, distributing or selling Covered Products for use in California, the company shall provide warnings in accordance with Paragraphs 4.1 and 4.2 of this Consent Judgment.

3

5

6

7 8

9 10

11

12 13

14

16 17

18

20

21 22

24 25

26

27

28

Within 30 days of the Effective Date, the E-Z Mix Defendants shall pay \$5,000 in 5.1 the form of a check made payable to As You Sow as a civil penalty pursuant to Health and Safety Code Section 25249.7(b). AYS shall remit seventy-five percent (75%) of this amount to the State of California pursuant to Health and Safety Code Section 25249.12(b).

- Within 30 days of the Effective Date, Defendants shall pay in the form of two 5.2 checks made payable to Altshuler Berzon LLP Attorney-Client Trust Account, the client trust account of As You Sow's counsel, the total amount of \$115,000 (with \$75,000 payable by the Basalite Defendants and \$40,000 payable by the E-Z Mix Defendants), which shall be allocated as set forth in paragraphs 5.3 and 5.4.
- In Lieu Payments: The Parties have agreed that, in view of the unique 5.3 circumstances of this case, the effect of the People v. Ace Hardware Consent Judgment to which Basalite Concrete Products, LLC is a party, and the steps taken by the Basalite Defendants to provide warnings on the Covered Products, that no civil penalty is appropriate with respect to the Basalite Covered Products. From the settlement payment provided for in paragraph 5.2, \$45,000 shall be provided for deposit in the AYS Environmental Enforcement Fund. These funds shall be used to reduce or remediate exposures to toxic chemicals and to increase consumer, worker and community awareness of the health hazards posed by toxic chemicals in California. In deciding among the grant proposals, the As You Sow Board of Directors ("Board") takes into consideration a number of important factors, including: (1) a nexus between the harm done in the underlying case(s), and the grant program work; (2) the potential for toxics reduction, prevention, remediation, or education benefits to California citizens from the proposal; (3) the budget requirements of the proposed grantee and the alternate funding sources available to it for its project; and (4) the Board's assessment of the proposed grantee's chances for success in its program work. AYS shall ensure that all funds will be disbursed and used in accordance with AYS's mission statement, articles of incorporation, and bylaws and applicable state and federal laws and regulations to promote awareness of and responses to the health hazards posed by toxic

8

6

9 10

11 12

13

14

16 17

18

20

21

23

24 25

26

27 28 chemicals in California. These payments shall not be construed as a credit against the personal claims of absent third parties for restitution against the Defendants.

Attorneys' Fees and Costs: \$70,000 of the settlement payment provided for in 5,4 paragraph 5.2 shall be used to reimburse Plaintiff's attorneys' fees, investigation costs, and other reasonable litigation costs and expenses.

ENFORCEMENT OF CONSENT JUDGMENT 6.

The Parties may, by motion filed in this Court, enforce the terms and conditions of 6.1 this Consent Judgment. Prior to the filing of any such motion, in the event a dispute arises with respect to any of the provisions of this Consent Judgment, the Parties shall meet and confer within 10 days after either Party receives written notice of an alleged violation of this Agreement. If As You Sow is successful in enforcing this Consent Judgment, it shall be entitled to recover its costs and reasonable attorneys' fees.

WAIVER AND RELEASE OF CLAIMS & COVENANT NOT TO SUE 7.

- Waiver and Release of Claims Against Defendants: Upon entry of this Consent 7.1 Judgment, as to those matters raised in the Complaints and in Plaintiff's Notices of Violation brought in the public interest, Plaintiff, on its own behalf and on behalf of the public interest, releases Defendants and waives any claims against Defendants for injunctive relief or damages, penalties, fines, sanctions, mitigation, fees (including fees of attorneys, experts, and others), costs, expenses, or any other sum incurred or claimed, for the alleged failure of Defendants to provide clear and reasonable warnings under Proposition 65 and/or under Business and Professions Code section 17200, et seq. about exposure to chromium and arsenic arising from the sale, distribution, or use of any Covered Products sold, manufactured or distributed by Defendants in California prior to the Effective Date. Compliance with this Consent Judgment by a Defendant shall constitute compliance with Proposition 65 by that Defendant with respect to the presence of chromium and arsenic in the Covered Products. Plaintiff agrees that any and all claims in the Complaint are resolved with prejudice by this Consent Judgment.
- Defendants' Waiver and Release of Plaintiff: Upon entry of this Consent 7.2 Judgment, Defendants release Plaintiff from and waive any claims against Plaintiff for injunctive

3

4

5

8

9

10

11

12

13

14

15

17

19

20

21

22

23

24

26

27

corporate affiliates, including any and all corporate parents and subsidiaries; their directors,

3

4

5

6

8

11

25

26

27

28

the Ace Hardware Consent Decree is not granted, this Consent Judgment shall become null and

Basalite Defendants and upon written notice to all of the Parties to the Action pursuant to the

void as between the Basalite Defendants and Plaintiff upon the election of Plaintiff and any of the

Case Nos. RG12661017, RG13669447 [PROPOSED] CONSENT JUDGMENT

1	14. COMPLIANCE WITH HEALTH AND SAFETY CODE §25249.7
2	14.1 Plaintiff shall comply with the reporting requirements referred to in Health and
3	Safety Code section 25249.7(f) (and established in Title 11 of the California Code of Regulations
4	sections 3000-3008), and shall move for approval of this Consent Judgment pursuant to the terms
5	thereof.
6	14.2 Upon request by AYS, the Defendants shall provide declarations in support of a
7	motion to approve this Consent Judgment.
8	15. PROVISION OF NOTICE
9	15.1 All correspondence and notices required by this Consent Judgment to the Parties
10	shall be sent: To Plaintiff As You Sow:
12	As You Sow Foundation Attn: Danielle Fugere, President and Chief Counsel 1611 Telegraph Street, Suite 1450
13	Oakland, ČA 94612 With a copy to:
15	Barbara Chisholm
16	Altshuler Berzon LLP 177 Post Street, Suite 300
17	San Francisco, CA Tel.: (415) 421-7151
18	To Defendants:
19	Patrick W. Dennis
20	Mark S. Pecheck Vanessa C. Adriance
21	Gibson Dunn & Crutcher 333 S. Grand Avenue
22	Los Angeles, CA 90071
23	M. Taylor Florence Locke Lord LLP
24	500 Capitol Mall, Suite 1800 Sacramento, CA 95814
25	Tel.: (916) 930-2500
26	With a copy to:
27	Daniel Yanagihara Pacific Coast Companies, Inc.
28	-12-
	Case Nos. RG12661017, RG13669447 [PROPOSED] CONSENT JUDGMENT

	10600 White Rock Road, Building B-100
1	Rancho Cordova, CA 95670
3	Edward Antonini Angelus Block
4	11374 Tuxford St Sun Valley, CA 91352
5	16. EXECUTION IN COUNTERPARTS
6	16.1 This Consent Judgment may be executed in one or more counterparts and by means
7	of facsimile or portable document format (pdf), which taken together shall be deemed to constitute
8	one document.
9	17. AUTHORIZATION
10	17.1 Each signatory to this Consent Judgment certifies that he or she is fully authorized
11	by the Party he or she represents to stipulate to this Consent Judgment and to enter into and
12	execute the Consent Judgment on behalf of the Party represented and legally bind that Party. The
13	undersigned have read, understand, and agree to all of the terms and conditions of this Consent
14	Judgment.
15	Judgment.
16	
17	
18	A DDD OVED A C TO FORM
19	APPROVED AS TO FORM:
20	Dated: April 7, 2014 ALTSHULER BERZON LLP
21	Balca: Philipping, 2011
22	By By
23	BARBARA J. CHISHOLM
24	Attorneys for Plaintiff AS YOU SOW
25	
26	
27	
28	
	-13- Case Nos. RG12661017, RG13669447
- 1	Case 1105. NO12001017, NO13003447

[PROPOSED] CONSENT JUDGMENT

1	Dated: 4/9, 2014	LOCKE LORD LLP
2		By M. J. Flynnsk
3		M. TAYLOR FLORENCE
4	j	Attorney for Defendants Basalite Concrete Products, LLC;
5		Pacific Coast Building Products, Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
6		
7	Dated:, 2014	GIBSON DUNN & CRUTCHER LLP
8	1.0	Ву
9		VANESSA C. ADRIANCE
10	2	Attorneys for Defendants E-Z Mix, Inc.; Angelus
11		Block Co., Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
12	SO AGREED:	
13	SO AGREED:	
14	Dated:, 2014	AS YOU SOW
15		
16		By:
17		Name:
18		
19	Dated:, 2014	BASALITE CONCRETE PRODUCTS, LLC
20		Ву:
21		
22		Name:Title:
23		9
24	Dated:, 2014	PACIFIC COAST BUILDING PRODUCTS, INC.
25		Dyn
26		By:
27		Name:Title:
28	1	-14-
		Nos. RG12661017, RG13669447 POSED] CONSENT JUDGMENT

	D-4-d- 2014	LOCKE LORD LLP
1	Dated:, 2014	LOCKE LORD LLF
2 3		By M. TAYLOR FLORENCE
4		Attorney for Defendants Basalite Concrete Products, LLC;
5		Pacific Coast Building Products, Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
6	4 1	CYNCON DYNN C CDYMCYND I I B
7	Dated: 10, 2014	GIBSON DUNN & CRUTCHER LLP
8		By Vanera (. A
9		VANESSA C. ADRIANCE
10		Attorneys for Defendants E-Z Mix, Inc.; Angelus
11		Block Co., Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
12	CO A CREED	
13	SO AGREED:	
14	Dated:, 2014	AS YOU SOW
15		
16	*	Ву:
17		Name:Title:
18		
19	Dated:, 2014	BASALITE CONCRETE PRODUCTS, LLC
20		By:
21	l l l l l l l l l l l l l l l l l l l	
22		Name: Title:
23		
24	Dated:, 2014	PACIFIC COAST BUILDING PRODUCTS, INC.
25		F
26		By:
27		Name:
28		Title:
	C	-14- se Nos. RG12661017, RG13669447
	[PR	OPOSED] CONSENT JUDGMENT
1	17	

1	Dated:, 2014	LOCKE LORD LLP
2		By M. TAYLOR FLORENCE
3		
4		Attorney for Defendants Basalite Concrete Products, LLC; Pacific Coast Building Products, Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
5		me., and Ordeastic, me.
6	Dated:, 2014	GIBSON DUNN & CRUTCHER LLP
7	Duca.	
8		By VANESSA C. ADRIANCE
9		
10		Attorneys for Defendants E-Z Mix, Inc.; Angelus Block Co., Inc.; Bonsal American, Inc.; and
11		Oldcastle, Inc.
12		
13	SO AGREED:	
14	Dated: 4/7, 2014	AS YOU SOW
15		76//
16		By: ////
1,7		Name: ANDRIN BELLAR
18		Title: Chr
19	Dated:, 2014	BASALITE CONCRETE PRODUCTS, LLC
20		
21		Ву:
22		Name:
23		Title:
	2014	PACIFIC COAST BUILDING PRODUCTS, INC.
24	Dated:, 2014	· ·
25		Ву:
26		Name:
27		Title:
28		-14-
	C	ase Nos. RG12661017, RG13669447 ROPOSED] CONSENT JUDGMENT

1	Dated:, 2014	LOCKE LORD LLP
2		
3		By M. TAYLOR FLORENCE
4		Attorney for Defendants Basalite Concrete Products, LLC;
5		Pacific Coast Building Products, Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
6		
7	Dated:, 2014	GIBSON DUNN & CRUTCHER LLP
8		D
9		By VANESSA C. ADRIANCE
10		Attorneys for Defendants E-Z Mix, Inc.; Angelus
11		Block Co., Inc.; Bonsal American, Inc.; and Oldcastle, Inc.
12		
13	SO AGREED:	
14	Dated:, 2014	AS YOU SOW
15	32011	
16		By:
17		Name:
18		Title:
19	Dated: April 9 , 2014	BASALITE CONCREPE PRODUCTS, LLC
20		
21		By:
22		Name: Scott Weber Title: President
23		Title: President
24	Dated: April 8, 2014	PACIFIC COAST BUILDING PRODUCTS, INC.
25	, , , , , , , , , , , , , , , , , , ,	
26		By:
27		Name: Dale Waldschmitt
28		Title: Chief Financial Officer
		-14- Case Nos. RG12661017, RG13669447
		[PROPOSED] CONSENT JUDGMENT

	1	Dated:, 2014 E	Z MIX, INC.
	2		5/1/2
	3	В	i:
	4		ame: EDWARD ANTONINI
*	- 5	Ti	tle: <u>VICE PRESIDENT</u>
	6	Dated: , 2014 A	NGELUS BLOCK CO., INC.
	7	Dated:, 2014 A	
*	8	В	r: [WW
	9		ame: EDWARD ANTONINI
	10		tle: PRESIDENT
	11	194 194	9,70
	12	Dated:, 2014 B	ONSAL AMERICAN, INC.
	13	D	n.
	14	By	
	15		ime:
	16	100	
	17	Dated:, 2014 O	LDCASTLE, INC.
•	18	8	
	19	В	/t
	20		ime:
	21		
	22	IT IS SO ORDERED AND AD	TUDGED:
×	23	100	e terms of this Consent Judgment into this Order. If a
	24	Party violates the provisions of this Cons	ent Judgment, this Court retains jurisdiction over this
	25	matter.	a 10 2
	26	37	
	27	Dated:, 2014	DOGE OF THE SUPERIOR COURT
	28		
	20	0	-15- . RG12661017, RG13669447
		[PROPOS	ED] CONSENT JUDGMENT

1	Dated:, 2014	E-Z MIX, INC.
2	•	,
3		By:
4		Name:
5	-	Title:
6	Dated:,, 2014	ANGELUS BLOCK CO., INC.
7	1,2014	AND DECEMBER CO., INC.
8		By:
9		Name:
10		Title:
11	Dated: 04-07,2014	BONSAL AMERICAN, INC.
12	, 2014	
13		By: Joan Muker
14		Name. J. PAUN MASKE Title: PASCO DE DE LA TE
15		Title: PRESIDENC+
16	Dated:, 2014	OLDCASTLE, INC.
17		
18		By:
19 20		Name:
21		Title:
22	IT IS SO ORDERED AND A	ADJUDGED:
23	The Court hereby incorporate	s the terms of this Consent Judgment into this Order. If a
24	Party violates the provisions of this C	Consent Judgment, this Court retains jurisdiction over this
25	matter.	
26	n : 2000	
27	Dated:, 2014	JUDGE OF THE SUPERIOR COURT
28		
	Cons	-15- Nos. RG12661017, RG13669447
		POSED] CONSENT JUDGMENT

Dated:, 2014	
By:	
Name:	
Title: Dated:, 2014 ANGELUS BLOCK CO., INC. By: Name: Title: Dated:, 2014 BONSAL AMERICAN, INC.	
Dated:, 2014 ANGELUS BLOCK CO., INC. By: Name: Title: Dated:, 2014 BONSAL AMERICAN, INC.	
Dated:, 2014 ANGELUS BLOCK CO., INC. By: Name: Title: Dated:, 2014 BONSAL AMERICAN, INC.	
By: Name:	
9 10 Name: Title: 11 Dated: , 2014 BONSAL AMERICAN, INC.	
Title: Dated: , 2014 BONSAL AMERICAN, INC.	
Dated: , 2014 BONSAL AMERICAN, INC.	
Dated: , 2014 BONSAL AMERICAN, INC.	
12	
By:	
14 Name:	
15 Title:	
Dated: April 7, 2014 OLDCASTLE, INC.	
Dated: April 7, 2014 OLDCASTLE, INC.	
18 By:	
Name: William Miller	
Title: Vice President & Genual Cour	rsel
21 IT IS SO ORDERED AND ADJUDGED:	
The Court hereby incorporates the terms of this Consent Judgment into this Orde	er. If a
Party violates the provisions of this Consent Judgment, this Court retains jurisdiction ov	
matter matter	
25	
26 Dated:, 2014	
JUDGE OF THE SUPERIOR COURT	
-15-	
Case Nos. RG12661017, RG13669447	

ATTACHMENT A

TO CONSENT JUDGMENT

10lb Sakrete®	Top	and	Bond	Concrete	Patcher
---------------	-----	-----	------	----------	---------

- 20lb Sakrete® Anchor Cement
- 10lb Sakrete® Leak Stopper
- 20lb Sakrete® Leak Stopper
- 40lb Sakrete® Polymeric Sand
- 10lb Sakrete® Fast Setting Cement Patcher
- 20lb Sakrete® Fast Setting Cement Patcher
- 40lb Sakrete® Fast Setting Cement Patcher
- 50lb Sakrete® Surface Bonding Cement
- 50lb Sakrete® Non-Shrink Construction Grout
- 50lb Sakrete® Fast Setting High Early Strength Concrete Mix
- 60lb Sakrete® High Strength Concrete Mix
- 80lb Sakrete® High Strength Concrete Mix
- 801b Sakrete® Maximizer Concrete Mix
- 80lb Sakrete® 5000 Plus High Strength Concrete Mix
- 80lb Sakrete® Crack Resistant Concrete Mix
- 80lb Sakrete® One Coat Fibered Stucco Mix
- 80lb Sakrete® Scratch and Brown Stucco Mix
- 80lb Sakrete® Finish Coat Stucco White
- 60lb Sakrete® Type S Masonry Mortar Mix
- 80lb Sakrete® Type S Masonry Mortar Mix
- 47lb Basalite® Type II-V Cement
- 94lb Basalite® Type II-V Cement
- Basalite® Concrete Mix
- Basalite® Portland Cement
- 47lb Basalite® Plastic Cement
- 94lb Basalite® Plastic Cement
- 1/2 CF Sakrete® Lightweight Concrete Mix
- 2/3 CF Sakrete® Lightweight Concrete Mix
- 3/4 CF Sakrete® Lightweight Fence Post Mix
- 40lb Sakrete® Top and Bond Cement Patcher
- 50lb Sakrete® Fence Post Concrete Mix
- 80lb Sakrete® Finished Coat Stucco Grey
- 50lb Sakrete® All Purpose Sand
- 10lb Sakrete® Anchor Cement
- 50lb Sakrete® Glass Block Mortar
- 60lb Sakrete® Green Choice Concrete Mix
- 401b Sakrete® NoMix Post Set
- 201b Sakrete® Flo-Coat Concrete Resurfacer

ATTACHMENT B

TO CONSENT JUDGMENT

Sakrete® Fast Setting Ultra-High Strength Concrete Mix

Sakrete® 5000 Plus High Strength Concrete Mix

Sakrete® Maximizer Multi-Project Concrete Mix

Sakrete® Type S Masonry Mortar

Sakrete® Fence Post Concrete


Sakrete® Top 'n Bond Concrete Patcher

Sakrete® High Strength Concrete Mix


Sakrete® Crack Resistant Concrete Mix

ATTACHMENT C TO CONSENT JUDGMENT









Remark: The artwork colors do not represent definitive colors.

SAKRETE

TYPE S MASONRY MORTAR



1. Crate Haga la me

SAKRETE® Type S Masonry Mortar is a mixture of sand and masonry cement or sand, lime and portland cement. For laying brick, block and stone. For building or repairing chimneys, walls, planters and outdoor grills. For tuck pointing mortar joints and stuccoing walls. Meets ASTM Specification C 387 when used as directed. Complies with ASTM C 270 for Type S Masonry Mortar.

Not to be used as a grout on traffic bearing surfaces.



2. Add v

JUST ADD WATER AND MIX

SAFETY PROCEDURES:

READ and **UNDERSTAND** the Material Safety Data Sheet (MSDS) before using this product. **WARNING**: Wear protective clothing and equipment. See HMIS block. For emergency information call CHEMTREC at 800-424-9300 or 703-527-3887 (outside USA). **KEEP OUT OF THE REACH OF CHILDREN**.

DIRECTIONS READ ALL DIRECTIONS BEFORE STARTING WORK.

PREPARATION:

When laying new brick or block walls, first construct a sound footing below the frost line. When repairing mortar joints or stucco, remove all loose and foreign material Dampen areas to be repaired just prior to application.

MIXING

(Fig. 1) Empty contents into a mortar box, wheelbarrow or mechanical mixer. When mixing by hand, form a crater for adding water. (Fig. 2) Add approximately 4 quarts (3.8 L) of clean water per 60 lb. (27.2 kg) bag or enough to achieve a workable mix. If too stiff, add more water a little at a time. Excess water reduces strength and durability and can cause cracking. In cold weather use warm water to accelerate the set. Use cold water to slow the set in hot weather. Retempering impairs performance.

PLACEMENTS

(Fig. 3) When laying brick or block, butter the end with mortar before placing into a full bed of mortar. (Fig. 4) Tap into place while leveling. (Fig. 5) When tuck pointing mortar joints, place material in the joint with a pointing trowel and compact. Allow the newly placed material to set about 1 hour until the surface is thumb print hard before striking with a jointer tool. When repairing stucco, apply the material using a plasterer's hawk and trowel using enough pressure to completely fill and compact the material.

FINISHING

Dress mortar joints with a joint tool. Texture succo to match the surrounding area using a plasterer's trowel.

CURING

In hot weather lightly dampen the material as needed to promote adequate curing. In cold weather adequately cover and keep from freezing for a minimum of 24 hours.

CAN BE PAINTED using an alkali resistant lime proof paint usually within 7 days provided the masonry is dry.

STORAGE:

Store material in a tightly closed container off the floor in a dry place.

PROPOSITION 65 WARNING

THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OF OTHER REPRODUCTIVE HARM.



3. Butte Emba de en



4. Tap it trowe Marti palus



5. Pointi with I Recal y lien

HOW MUCH TYPE S MASONRY MORTAR DO YOU NEED?

For laying brick, block and stone

One 60 lb. (27.2 kg) bag of Sakrete Type S Masonry Mortar will lay approximately 30 common brick or 11 - 8 inch (200 mm) concrete masonry units. This does not allow for waste.

¿CUÁNTA MEZCLA DE MORTERO TIPO S NECESITA?

Para colocar ladrillos, bloques y piedra Una bolsa de 60 lb. (27.2 kg) sirve para aproximadamente 11 bloques de concreto de 8 pulgadas (200 mm) y 30 ladrillos estándar. Esto no incluye el desperdicio.

El Mezcla de Mortero Tipo S Sakrete® es una mezcla de arena y cemento de mampostería o arena, cal y cemento portland. Para construir o reparar chimeneas, paredes, macetas y parrillas exteriores. Para recalcar juntas de mortero y estucar paredes. Encuentra los estándares de ASTM C 387 al usarse como se indica. Cumple con la norma ASTM C 270 para Mezcla de Mortero Tipo S. No debe usarse como lechada en superficies donde hava tráfico.

SÓLO HAY OUE AGREGAR AQUA Y MEZCLAR

INFORMACIÓN DE SEGURIDAD

LEA y ENTIENDA bien la Hoja de Datos de Seguridad del Material (MSDS) antes de usar este producto.

ADVERTENCIA: Use ropa y equipo de protección. Vea la tabla de HMIS. Para obtener información en caso de emergencia liame a CHEMTREC al 800-424-9300 o al 703-527-3887 (fuera de los EEUU). MANTENGA ALEJADO DEL ALCANCE DE LOS NIÑOS.

INSTRUCCIONES LEA TODAS LAS INSTRUCCIONES ANTES DE COMENZAR EL TRABAJO.

Al colocar ladrillos nuevos o paredes de bioques, construya primero una base segura bajo la línea de escarcha. Al reparar juntas de mortero o estuco, retire todo el material suelto y foráneo. Humedezca las áreas a reparar justo antes de la aplicación.

MEZCLADO:

(Fig. 1) Vacíe el contenido en una caja de mortero, carretilla o mezcladora mecánica. Al mezclar manualmente, forme un hueco para afiadir agua. (Fig. 2) Ponga aproximadamente 4 cuartos de gaión (3.8 L) de agua limpia por boisa de 60 lb. (27.2 kg) o suficiente para lograr una mezcla trabajable. Si está demasiado rígida, afiada más agua de a poco. El exceso de agua reduce la resistencia y durabilidad y puede causar fisuras. En clima frío use agua tibia para acelerar el proceso de fraguado. Use agua fría para hacer más lento el proceso de fraguado en clima cálido. Retemplar afecta el rendimiento.

COLOCACIÓN:

(Fig. 3) Al colocar ladrillos o bloques, embadurne el extremo con mortero antes de colocarlos en un lecho completo de mortero. (Fig. 4) Martille en su sitio al nivelar. (Fig. 5) Al recalcar juntas de mortero, ponga material en la junta con una llana de punta y compacte. Deje que fragüle el material recién puesto aproximadamente 1 hora hasta que la superficie esté dura para marcar huellas digitales antes de golpear conun marcador de juntas. Al reparar el estuco aplique el material usando esparavel y llana de enyesar con suficiente presión para rellenar completamente y compactar el material.

TERMINADO:

Prepare las juntas de mortero con una herramienta de juntas. Texturice el estuco para que concuerde con el área circundante usando una llana de enyesado.

FRAGUADO:

En clima cálido moje ligeramente el material según se necesite para promover el fraguado correcto. Si hay baja temperatura cubra adecuadamente y evite que se congele por un mínimo de 24 horas.

PUEDE PINTARSE USANDO una pintura a prueba de cal resistente al álcali generalmente dentro de 7 días siempre y cuando la mampostería esté seca.

AL MACE NAMIENTO

Guarde el material en un recipiente cerrado herméticamente, no en el suelo, y en un lugar seco.

PROPOSICION 65 DE ADVERTENCIA

ESTE PRODUCTO CONTIENE QUÍMICOS CONOCIDOS EN EL ESTADO DE CALIFORNIA COMO CAUSANTE DE CÁNCER, DEFECTOS DE NACIMIENTO U OTROS DAÑOS REPRODUCTIVOS. HMIS Block

TYPE S MASONRY M

HEALTH

FLAMMABILITY

REACTIVITY

PERSONAL PROTECTION

WARNING! CAUSES IRRITATION with eyes, skin and clothing. Wa after handling. Exposure may re of the skin, eyes, or nasal passa in portland cement. When wet, (skin or eyes may result in irritati FIRST AID: In case of eye con immediately with plenty of wate minutes and get prompt medica skin, wash thoroughly with plen water. If irritation persists, get n attention. WARNING! HARMFUL. Avoid breathing dust. Keep cont Use with adequate ventilation. E exposure by inhalation over an ϵ of time may result in the develor pulmonary diseases including p and silicosis. Crystalline Silica h classified by IARC and NTP as a

ENVIRONMENTAL ADVISORY:

Uncurred or crushed cured cement is hazard, which may adversely affect f Dispose of construction debris containcluding empty bags at a permitted disposal firm. Do not use crushed coa fill near an aquatic habitat.

The manufacturer warrants the in accordance with the manual manua

SAKRETE® and the background d Charlotte, NC 28273 @2006. SAKRETE



605 Industrial Way • I

Proposition 65

WARNING - This product contains chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Proposición 65

ADVERTENCIA - Este producto contiene quimicos conocidos por el Estado de California que causan cancer, defectos de nacimiento y otros daños al sistema reproductivo.

Proposición 65

WARNING - This product contains chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Proposition 65

quimicos conocidos por el Estado de California que causan cáncer, defectos de nacimiento y otros

daños al sistema reproductivo.

ADVERTENCIA - Este producto

PRECAUCION-

• Este producto causa daño a los

olos.

• Este producto causa irritación a

• INJURIOUS TO EYES
• CAUSES SKIN IRRITATION
Contains Portland Cement.



